JOURNAL OF THE

American Society of Echocardiography

EDITOR

Harvey Feigenbaum, MD
University Hospital 5420
550 North University Boulevard
Indianapolis, IN 46202-5250

ASSOCIATE EDITORS

Bijoy K. Khandheria, MD
Rochester, Minnesota

Stephen G. Sawada, MD
Indianapolis, Indiana

EDITORIAL BOARD

Luciano Agati, MD, *Rome, Italy*
Hugh D. Allen, MD, *Columbus, Ohio*
Solomon Aronson, MD, *Chicago, Illinois*
Werner G. Daniel, MD, *Erlangen, Germany*
Cristy Davis, BS, RDCS, RCS, *Carmel, Indiana*
Julius M. Gardin, MD, *Orange, California*
Martin Goldman, MD, *New York, New York*
John Gorcsan III, MD, *Pittsburgh, Pennsylvania*
Paul A. Grayburn, MD, *Dallas, Texas*
Kitty Kisslo, RDCS, RCVT, *Durham, North Carolina*
Akira Kitabatake, MD, PhD, *Sapporo, Japan*
Morris N. Kotler, MD, *Philadelphia, Pennsylvania*
Robert A. Levine, MD, *Boston, Massachusetts*
Jane E. Marshall, BS, RDCS, *Boston, Massachusetts*
Navin C. Nanda, MD, *Birmingham, Alabama*
Petros Nihoyannopoulos, MD, *London, United Kingdom*
Catherine M. Otto, MD, *Seattle, Washington*
Julio E. Perez, MD, *St Louis, Missouri*
Eugenio Picano, MD, *Pisa, Italy*
Ingela Schnittger, MD, *Stanford, California*
James B. Seward, MD, *Rochester, Minnesota*
Norman H. Silverman, MD, *San Francisco, California*
J. Geoffrey Stevenson, MD, *Seattle, Washington*
Chuwa Tei, MD, *Kagoshima, Japan*

SECTION EDITORS

Cardiac Sonographers' Communications
David B. Adams, RCPT, RDMS, *Durham, North Carolina*

Outcomes Journal Watch
Pamela S. Douglas, MD, *Boston, Massachusetts*

VOLUME 13
JANUARY-DECEMBER 2000

VOLUME 13
COPYRIGHT © 2000 BY THE AMERICAN SOCIETY OF ECHOCARDIOGRAPHY
All rights reserved
Printed in the United States of America

Index to Authors*

A

Aakhus S (see Edvardsen et al). 2000;13:986-94
Aakhus S (see Soma et al). 2000;13:1100-8
Aaron SD (see Turek et al). 2000;13:412-4 (Case rep.)
Abdalla IA, Murray RD, Awad HE, Stewart WJ, Thomas JD, Klein AL. Reversal of the pattern of respiratory variation of Doppler inflow velocities in constrictive pericarditis during mechanical ventilation. 2000;13:827-31
Abdul-Khaliq H (see Ewert et al). 2000;13:866-8 (Case rep.)
Abdullah M, Maeno Y, Bigras J-L, McCrindle BW, Smallhorn JF, Boutin C. Superiority of 3-dimensional versus 2-dimensional echocardiography for left ventricular volume assessment in small piglet hearts. 2000;13:918-23
Abe M (see Tabata et al). 2000;13:108-15
Abel MD (see Agostini et al). 2000;13:1121-3 (Case rep.)
Abendschein DR (see Lanza et al). 2000;13:608-14
Adams D (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Adams D (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Adams D (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Adorisio R (see De Castro et al). 2000;13:139-45
Aessopos A, Farmakis D, Taktikou H, Loukopoulos D. Doppler-determined peak systolic tricuspid pressure gradient in persons with normal pulmonary function and tricuspid regurgitation. 2000;13:645-9. Correction 2000;13:1042
Agati L (see Castaldo et al). 2000;13:358-67
Agati L (see De Castro et al). 2000;13:139-45
Agostini F, Click RL, Mulvagh SL, Abel MD, Dearani JA. Entrapment of subvalvular mitral tissue causing intermittent failure of a St Jude mitral prosthesis. 2000;13:1121-3 (Case rep.)
Aguilar JA, Summerson C. Intracardiac thrombus in antiphospholipid antibody syndrome. 2000;13:873-5 (Case rep.)
Akdemir I (see Bilge et al). 2000;13:271-6
Aksöyek S (see Özer et al). 2000;13:626-8 (Case rep.)
Aksöyek S (see Özer et al). 2000;13:661-5
Alabdulkarim N, Knudson OA, Shaffer E, Macheras J, DeGroff C, Valdes-Cruz L. Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach. 2000;13:924-31
Alam M, Wardell J, Andersson E, Samad BA, Nordlander R. Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave Doppler tissue imaging. 2000;13:343-52
Alam M (see Emilsson et al). 2000;13:896-901
Alexander LA (see Firstenberg et al). 2000;13:696-8 (Case rep.)
Alizad A, Seward JB. Echocardiographic features of genetic diseases: part 1. Cardiomyopathy. 2000;13:73-86 (Special rep.)
Alizad A, Seward JB. Echocardiographic features of genetic diseases: part 2. Storage disease. 2000;13:164-70 (Special rep.)
Alizad A, Seward JB. Echocardiographic features of genetic diseases: part 3. Shunts. 2000;13:248-53 (Special rep.)
Alizad A, Seward JB. Echocardiographic features of genetic diseases: part 4. Connective tissue. 2000;13:325-30 (Special rep.)
Alizad A, Seward JB. Echocardiographic features of genetic diseases: part 5. Tumors. 2000;13:421-6 (Special rep.)
Alizad A, Seward JB. Echocardiographic features of genetic diseases: part 6. Complex cardiovascular defects. 2000;13:637-43 (Special rep.)
Alizad A, Seward JB. Echocardiographic features of genetic diseases: part 7. Complex genetic disorders. 2000;13:707-14 (Special rep.)
Alizad A, Seward JB. Echocardiographic features of genetic diseases: part 8. Organ system. 2000;13:796-800 (Special rep.)
Allende GN (see Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
Ameling W (see Flachskampf et al). 2000;13:277-87
American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography, Mulvagh SL, DeMaria AN, Feinstein SB, Burns PN, Kaul S, Miller JG, Monaghan M, Porter TR, Shaw LJ, Villanueva FS. Contrast echocardiography: current and future applications. 2000;13:331-42 (Position paper)
Amin J (see Ashmeik et al). 2000;13:407-11 (Case rep.)
Andersen HR (see Poulsen et al). 2000;13:379-84
Andersson E (see Alam et al). 2000;13:343-52
Angelsen B (see Støylen et al). 2000;13:1053-64
Angelsen BAJ (see Soma et al). 2000;13:1100-8
Armstrong G, Pasquet A, Fukamachi K, Cardon L, Olstad B, Marwick T. Use of peak systolic strain as an index of regional left ventricular function: comparison with tissue Doppler velocity during dobutamine stress and myocardial ischemia. 2000;13:731-7
Arnold M (see Kukulski et al). 2000;13:194-204
Arnold MF (see Voigt et al). 2000;13:588-98
Artman M (see Balaguru et al). 2000;13:615-8 (Case rep.)
Asanuma T (see Tanabe et al). 2000;13:951-2 (Case rep.)
Ashmeik K, Amin J, Pai RG. Echocardiographic characterization of a rare type of coronary artery fistula draining into superior vena cava. 2000;13:407-11 (Case rep.)
Ashmeik K, Pai RG. An unusual case of acquired ventricular septal defect as a complication of aortic valve endocarditis: echocardiographic delineation of multiple subvalvular complications in one patient. 2000;13:693-5 (Case rep.)
Ask P (see Bech-Hanssen et al). 2000;13:39-50
Aşker M (see Bilge et al). 2000;13:271-6
Atar D (see Carstensen et al). 2000;13:885-90
Auslender M (see Balaguru et al). 2000;13:615-8 (Case rep.)
Avelar E (see Yao et al). 2000;13:570-81
Avramides D, Perakis A, Voudris V, Gezerlis P. Noninvasive assessment of left ventricular systolic function by stress-shortening relation, rate of change of power, preload-adjusted maximal power, and ejection force in idiopathic dilated cardiomyopathy: prognostic implications. 2000;13:87-95
Awad HE (see Abdalla et al). 2000;13:827-31
Aytemir K (see Özer et al). 2000;13:626-8 (Case rep.)
Aytemir K (see Özer et al). 2000;13:661-5
Azqueta M (see Sitges et al). 2000;13:1084-90

B

Bach DS. Echocardiographic assessment of stentless aortic bioprosthetic valves. 2000;13:941-8
Bailey D (see Main et al). 2000;13:764-70
Bailey KR (see Bruce et al). 2000;13:674-9
Bailey SE (see van der Wouw et al). 2000;13:288-94
Balaguru D, Auslender M, Colvin SB, Rutkowski M, Artman M, Phoon CKL. Intraoperative myocardial ischemia recognized by

Indexes to the Eleventh Annual Scientific Sessions abstracts are located in the May issue.

*January, pp 1-86; February, pp 87-170; March, pp 171-254; April, pp 255-342; May, pp 343-560; June, pp 561-644; July, pp 645-714; August, pp 715-800; September, pp 801-884; October, pp 885-968; November, pp 969-1052; December, pp 1053-1166.

transesophageal echocardiography monitoring in the pediatric population: a report of 3 cases. 2000;13:615-8 (Case rep.)
Balaji S (see Denslow et al). 2000;13:969-79
Balasia B (see Spencer et al). 2000;13:51-7
Baldizzi M (see Main et al). 2000;13:764-70
Balestrini L, Fleishman C, Lanzoni L, Kisslo J, Bengur AR, Sanders SP, Li JS. Real-time 3-dimensional echocardiography evaluation of congenital heart disease. 2000;13:171-6
Balfour IC (see Jureidini et al). 2000;13:255-63
Balzer DT (see Johnson et al). 2000;13:1038-42
Bansal S (see Ehler et al). 2000;13:1109-16
Barril R (see Delgado et al). 2000;13:685-9 (Case rep.)
Barturen F (see Delgado et al). 2000;13:685-9 (Case rep.)
Basmadjian AJ, Ducharme A, Ugolini P, Petitclerc R, Leung TK, Tardif J-C. Obstruction of left ventricular outflow tract by vegetation and periaortic abscess. 2000;13:869-72 (Case rep.)
Bax JJ (see Elhendy et al). 2000;13:1-8
Bax JJ (see Sozzi et al). 2000;13:1019-24
Bean M (see Malhotra et al). 2000;13:771-3
Beaver TA, Robb JF, Teufel EJ, Malenka DJ, Palac RT. Right ventricular outflow tract obstruction in an older woman: facilitated diagnosis with transesophageal echocardiography–guided biopsy. 2000;13:622-5 (Case rep.)
Bech-Hanssen O, Caidahl K, Wallentin I, Brandberg J, Wranne B, Ask P. Aortic prosthetic valve design and size: relation to Doppler echocardiographic findings and pressure recovery—an in vitro study. 2000;13:39-50
Bednarz J (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Bednarz J (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Bednarz J (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Bednarz J (see Spencer et al). 2000;13:131-8
Belohlavek M (see Bruce et al). 2000;13:788-95 (Review article)
Bengur AR (see Balestrini et al). 2000;13:171-6
Beni S (see De Castro et al). 2000;13:139-45
Benvenisti O (see Levi et al). 2000;13:295-9
Berensztein CS, Piñeiro D, Marcotegui M, Brunoldi R, Blanco MV, Lerman J. Usefulness of echocardiography and Doppler echocardiography in endomyocardial fibrosis. 2000;13:385-92
Berg S, Torp H, Haugen BO, Samstad S. Volumetric blood flow measurement with the use of dynamic 3-dimensional ultrasound color flow imaging. 2000;13:393-402
Berger F (see Ewert et al). 2000;13:866-8 (Case rep.)
Bermann AM (see Lax et al). 2000;13:116-23
Bertini A (see Di Bello et al). 2000;13:832-40
Bezante GP (see Schwarz et al). 2000;13:368-78
Bieniarz T (see Malhotra et al). 2000;13:771-3
Bigras J-L (see Abdullah et al). 2000;13:918-23
Bijnens B, D'hooge J, Schrooten M, Pislaru S, Pislaru C, De Man B, Nuyts J, Suetens P, Van de Werf F, Sutherland GR, Herregods M-C. Are changes in myocardial integrated backscatter restricted to the ischemic zone in acute induced ischemia? An in vivo animal study. 2000;13:306-15
Bilge M, Eryonucu B, Güler N. A case of arrhythmogenic right ventricular cardiomyopathy in sinus rhythm associated with thrombus in the right atrium. 2000;13:154-6 (Case rep.)
Bilge M, Eryonucu B, Güler N. A case of left atrial appendage thrombus with embolic stroke in association with aortic stenosis in sinus rhythm. 2000;13:1127-9 (Case rep.)
Bilge M, Eryonucu B, Güler N, Akdemir I, Aşker M. Transesophageal echocardiography assessment of left atrial appendage function in untreated systemic hypertensive patients in sinus rhythm. 2000;13:271-6
Bjomerheim R (see Edvardsen et al). 2000;13:986-94
Bjørnstad K (see Støylen et al). 2000;13:1053-64
Blanche C (see Bowman et al). 2000;13:415-6 (Case rep.)
Blanco MV (see Berensztein et al). 2000;13:385-92
Bobinsky E (see Main et al). 2000;13:764-70
Bodzoń W (see Krzanowski et al). 2000;13:1091-9
Boersma E (see Nosir et al). 2000;13:715-22
Boersma E (see Sozzi et al). 2000;13:1019-24
Böke E (see Özer et al). 2000;13:626-8 (Case rep.)
Bommer WJ (see Dhond et al). 2000;13:1025-9
Bondmass MD (see Malhotra et al). 2000;13:771-3
Bonnin O (see Delgado et al). 2000;13:685-9 (Case rep.)
Borghetti A (see Sozzi et al). 2000;13:1019-24
Bosch X (see Sitges et al). 2000;13:1084-90
Bossone E (see Caruso et al). 2000;13:69-72 (Case rep.)
Boutin C (see Abdullah et al). 2000;13:918-23
Bowman AR, Siegel RJ, Blanche C, Petrovic LM, Dhar S, Miller BJ, Kaul S. Metastatic pancreatic adenocarcinoma to the heart diagnosed antemortem. 2000;13:415-6 (Case rep.)
Brais M (see Turek et al). 2000;13:412-4 (Case rep.)
Brandberg J (see Bech-Hanssen et al). 2000;13:39-50
Brauns AC (see van der Wouw et al). 2000;13:288-94
Breen JF (see Darbar et al). 2000;13:1130-4 (Case rep.)
Brenner B (see Reisner et al). 2000;13:876-81 (Review article)
Briggs SM (see Fry et al). 2000;13:232-9 (Case rep.)
Broscheit J-A (see Greim et al). 2000;13:1030-7
Bruce CJ, Packer DL, Belohlavek M, Seward JB. Intracardiac echocardiography: newest technology. 2000;13:788-95 (Review article)
Bruce CJ, Spittell PC, Montgomery SC, Bailey KR, Tajik AJ, Seward JB. Personal ultrasound imager: abdominal aortic aneurysm screening. 2000;13:674-9
Brunelli C (see Schwarz et al). 2000;13:368-78
Brunner-La Rocca HP, Rickli H, Jost CHA, Jenni R. Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow. 2000;13:599-607
Brunoldi R (see Berensztein et al). 2000;13:385-92
Brzostek T (see Krzanowski et al). 2000;13:1091-9
Bücker A (see Kühl et al). 2000;13:205-15
Burgess P, Moore V, Bednarz J, Carney D, Floer S, Gresser C, Jasper S, Moos S, Odabashian J, Sisk E, Trough M, Waggoner A, Witt S, Adams D. Performing an echocardiographic examination with a contrast agent: a series on contrast echocardiography, article 2. 2000;13:629-36 (Cardiac sonog. comm.)
Burgess P (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Burgess P (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Burns PN (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Bustamante-Labarta MH, Caramutti V, Allende GN, Weinschelbaum E, Torino AF. Unsuspected embolic fungal endocarditis of an aortic conduit diagnosed by transesophageal echocardiography. 2000;13:953-4 (Case rep.)
Butchart EG (see Ionescu and Butchart). 2000;13:322-4 (Case rep.)

C

Cabestrero D (see Pereira et al). 2000;13:64-5 (Case rep.)
Caidahl K (see Bech-Hanssen et al). 2000;13:39-50
Caraccio N (see Di Bello et al)s2000;13:832-40
Caramutti V (see Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
Cardon L (see Armstrong et al). 2000;13:731-7
Carney D (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Carney D (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Carney D (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)

Carnicer JO (see García-Pascual et al). 2000;13:690-2 (Case rep.)
Carrageta M (see João et al). 2000;13:785-7 (Case rep.)
Carstensen S, Høst U, Atar D, Saunamäki K, Helbæk H. Atrioventricular plane motion during dubutamine-atropine stress echocardiography: the biphasic response in healthy subjects revisited. 2000;13:885-90
Cartoni D (see De Castro et al). 2000;13:139-45
Caruso A, Iarussi D, Materazzi C, Dialetto G, Covino F, Bossone E, Cotrufo M. Aortic dissection with fistula to left atrium: diagnosis by transesophageal echocardiography with successful repair. 2000;13:69-72 (Case rep.)
Castaldo M, Funaro S, Veneroso G, Agati L. Detection of residual tissue viability within the infarct zone in patients with acute myocardial infarction: ultrasonic integrated backscatter analysis versus dobutamine stress echocardiography. 2000;13:358-67
Catarino C (see João et al). 2000;13:785-7 (Case rep.)
Cerrón F (see Pereira et al). 2000;13:64-5 (Case rep.)
Chae J-S (see Jeon et al). 2000;13:682-4 (Case rep.)
Chandra S (see Flachskampf et al). 2000;13:277-87
Charet E, Roudaut R, Lafitte S, Laffort P, Madonna F, de Mascarel A. Echocardiographic demonstration of rupture of intraseptal hydatid cyst. 2000;13:955-8 (Case rep.)
Chen S, Wang Z, Zhou Y-T, Grayburn PA. Optimization of the size distribution and myocardial contrast effect of perfluorocarbon-filled albumin microbubbles by lyophilization under continuous negative pressure. 2000;13:748-53
Chen X (see Schwarz et al). 2000;13:368-78
Cho S-Y (see Ha et al). 2000;13:849-54
Choi K-B (see Jeon et al). 2000;13:682-4 (Case rep.)
Choi Y-S (see Sohn et al). 2000;13:891-5
Chung N (see Ha et al). 2000;13:849-54
Cianciulli TF (see Lax et al). 2000;13:116-23
Clements SD (see Lerakis et al). 2000;13:619-21 (Case rep.)
Click R (see Darbar et al). 2000;13:1130-4 (Case rep.)
Click RL (see Agostini et al). 2000;13:1121-3 (Case rep.)
Click RL (see Dujardin et al). 2000;13:1080-3
Cocalis M (see Mathewson et al). 2000;13:561-9. Correction 2000;13:817
Colan SD (see Marcus et al). 2000;13:186-93
Colan SD (see Munoz et al). 2000;13:177-85
Colvin SB (see Balaguru et al). 2000;13:615-8 (Case rep.)
Conliss M (see Malhotra et al). 2000;13:771-3
Connolly R (see Yao et al). 2000;13:570-81
Contreras A (see Marcos-Alberca et al). 2000;13:1050-2 (Case rep.)
Cosnay P (see Eder et al). 2000;13:995-1001
Cotrim C (see João et al). 2000;13:785-7 (Case rep.)
Cotrufo M (see Caruso et al). 2000;13:69-72 (Case rep.)
Cotton JL. Diagnosis of a left coronary artery to right ventricular fistula with progression to spontaneous closure. 2000;13:225-8 (Case rep.)
Covino F (see Caruso et al). 2000;13:69-72 (Case rep.)

D

Daehnert I (see Ewert et al). 2000;13:866-8 (Case rep.)
Darbar D, Zehr K, Breen JF, Click R. Localized aortic dissection: unusual features by transesophageal echocardiography. 2000;13:1130-4 (Case rep.)
Dardas PS, Filippatos GS, Tsikaderis DD, Michalis LK, Goudevenos IA, Sideris DA, Shapiro LM. Noninvasive indexes of left atrial diastolic function in hypertrophic cardiomyopathy. 2000;13:809-17
David D (see Levi et al). 2000;13:295-9
Davies CH (see Rusk et al). 2000;13:910-7
Dean K (see Spencer et al). 2000;13:51-7
Dearani JA (see Agostini et al). 2000;13:1121-3 (Case rep.)
De Castro S, Agati L, Cartoni D, Papetti F, Beni S, Adorisio R, Fedele F, Pandian NG. Harmonic imaging with Levovist for transthoracic echocardiographic reconstruction of left ventricle in patients with post-ischemic left ventricular dysfunction and suboptimal acoustic windows. 2000;13:139-45
de Dios RM (see Vilacosta et al). 2000;13:403-6 (Case rep.)
DeGroff C (see Alabdulkarim et al). 2000;13:924-31
Delehanty J (see Fisher et al). 2000;13:319-21 (Case rep.)
Delgado C, Bonnin O, Garriga JM, Barril R, Barturen F. Intermittent electromechanical dissociation as an unusual sign of prosthetic valve thrombosis in a patient with prosthetic fibrous ingrowth. 2000;13:685-9 (Case rep.)
De Man B (see Bijnens et al). 2000;13:306-15
DeMaria AN (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
DeMaria AN (see Kimura and DeMaria). 2000;13:855-61
de Mascarel A (see Charet et al). 2000;13:955-8 (Case rep.)
Denslow S, Balaji S, Hewett KW. A new framework for echocardiographic assessment of left ventricular mechanics: sensitivity to heart failure. 2000;13:969-79
Dent JM (see Weiss et al). 2000;13:124-30
Detmer PR (see Irvine et al). 2000;13:841-8
Devries S (see Malhotra et al). 2000;13:771-3
Dhar S (see Bowman et al). 2000;13:415-6 (Case rep.)
Dhond MR, Nguyen TT, Dolan C, Pulido G, Bommer WJ. Ultrasound-enhanced thrombolysis at 20 kHz with air-filled and perfluorocarbon-filled contrast bispheres. 2000;13:1025-9
D'hooge J (see Bijnens et al). 2000;13:306-15
Dialetto G (see Caruso et al). 2000;13:69-72 (Case rep.)
Diaz R (see Orlandini et al). 2000;13:152-3 (Case rep.)
Di Bello V, Monzani F, Giorgi D, Bertini A, Caraccio N, Valenti G, Talini E, Paterni M, Ferrannini E, Giusti C. Ultrasonic myocardial textural analysis in subclinical hypothyroidism. 2000;13:832-40
Ditrich S (see Ewert et al). 2000;13:866-8 (Case rep.)
Di Tullio MR (see Fard et al). 2000;13:582-7
Dolan C (see Dhond et al). 2000;13:1025-9
Donofrio MT, Kakavand B, Moskowitz WB. Evaluation of regional wall motion and quantitative measures of ventricular function during dobutamine stress echocardiography in pediatric cardiac transplantation patients. 2000;13:932-40
do Rosário L (see João et al). 2000;13:785-7 (Case rep.)
Duarte JA (see João et al). 2000;13:785-7 (Case rep.)
Ducharme A (see Basmadjian et al). 2000;13:869-72 (Case rep.)
Dujardin KS, Click RL, Oh JK. The role of intraoperative transesophageal echocardiography in patients undergoing cardiac mass removal. 2000;13:1080-3

E

Eder V, Marchal C, Tranquart F, Sirinelli A, Pottier JM, Cosnay P. Localization of the ventricular preexcitation site in Wolff-Parkinson-White syndrome with Doppler tissue imaging. 2000;13:995-1001
Edoute Y (see Reisner et al). 2000;13:876-81 (Review article)
Edvardsen T, Aakhus S, Endresen K, Bjomerheim R, Smiseth OA, Ihlen H. Acute regional myocardial ischemia identified by 2-dimensional multiregion Doppler tissue imaging technique. 2000;13:986-94
Egstrup K (see Møller et al). 2000;13:902-9
Egstrup K (see Poulsen et al). 2000;13:723-30
Ehler D, Vacek JL, Bansal S, Gowda M, Powers KB. Transition to an all-digital echocardiography laboratory: a large, multi-site private cardiology practice experience. 2000;13:1109-16
Eichelberger JP (see Fisher et al). 2000;13:319-21 (Case rep.)
Elhendy A, van Domburg RT, Bax JJ, Roelandt JRTC. Significance of resting wall motion abnormalities in 2-dimensional echocar-

diography in patients without previous myocardial infarction referred for pharmacologic stress testing. 2000;13:1-8
Elhendy A (see Sozzi et al). 2000;13:1019-24
Elhendy AA (see Nosir et al). 2000;13:715-22
Emilsson K, Alam M, Wandt B. The relation between mitral annulus motion and ejection fraction: a nonlinear function. 2000;13:896-901
Endresen K (see Edvardsen et al). 2000;13:986-94
Eryonucu B (see Bilge et al). 2000;13:154-6 (Case rep.)
Eryonucu B (see Bilge et al). 2000;13:271-6
Eryonucu B (see Bilge et al). 2000;13:1127-9 (Case rep.)
Ewert P, Nagdyman N, Daehnert I, Ditrich S, Abdul-Khaliq H, Berger F, Lange PE. Late-diastolic forward flow in the aorta induced by left atrial contraction. 2000;13:866-8 (Case rep.)

F

Faber L, Ziemssen P, Seggewiss H. Targeting percutaneous transluminal septal ablation for HOCM by intra-procedural echocardiographic monitoring. 2000;13:1074-9
Fard A, Wang CY, Takuma S, Skopicki HA, Pinsky DJ, Di Tullio MR, Homma S. Noninvasive assessment and necropsy validation of changes in left ventricular mass in ascending aortic banded mice. 2000;13:582-7
Farmakis D (see Aessopos et al). 2000;13:645-9. Correction 2000;13:1042
Fedele F (see De Castro et al). 2000;13:139-45
Feigenbaum H. Manuscript reviewers: the backbone of a peer-reviewed journal. 2000;13:968 (Editorial)
Feinstein SB (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Fernández-Rozas I (see Marcos-Alberca et al). 2000;13:1050-2 (Case rep.)
Ferrannini E (see Di Bello et al). 2000;13:832-40
Ferrington C (see Palka et al). 2000;13:96-107
Filippatos GS (see Dardas et al). 2000;13:809-17
Finch-Johnston AE, Gussak HM, Mobley J, Holland MR, Petrovic O, Pérez JE, Miller JG. Cyclic variation of integrated backscatter: dependence of time delay on the echocardiographic view used and the myocardial segment analyzed. 2000;13:9-17
Fini M (see Mattioli et al). 2000;13:655-60
Fiore A (see Jureidini et al). 2000;13:255-63
Fiore AC (see Jureidini et al). 2000;13:1117-20 (Case rep.)
Firstenberg MS, Greenberg NL, Lin SS, Garcia MJ, Alexander LA, Thomas JD. Transesophageal echocardiography assessment of severe ostial left main coronary stenosis. 2000;13:696-8 (Case rep.)
Firstenberg MS (see Main et al). 2000;13:764-70
Firstenberg MS (see Novaro et al). 2000;13:417-20 (Case rep.)
Fischerová B (see Meluzín et al). 2000;13:1043-6 (Case rep.)
Fisher SD, Eichelberger JP, Pomerantz R, Delehanty J. Transformation of mitral valve prolapse to dynamic left ventricular outflow tract obstruction and back again in a patient with acute transient myocardial depression. 2000;13:319-21 (Case rep.)
Flachskampf FA, Chandra S, Gaddipatti A, Levine RA, Weyman AE, Ameling W, Hanrath P, Thomas JD. Analysis of shape and motion of the mitral annulus in subjects with and without cardiomyopathy by echocardiographic 3-dimensional reconstruction. 2000;13:277-87
Fleishman C (see Balestrini et al). 2000;13:171-6
Floer S (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Floer S (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Foltz D (see Main et al). 2000;13:764-70
Fox KAA (see Palka et al). 2000;13:96-107
Franke A (see Kühl et al). 2000;13:205-15
Frantz B (see Main et al). 2000;13:764-70
Freedberg RS (see Schwartzbard et al). 2000;13:1124-6 (Case rep.)
Freeman K (see Main et al). 2000;13:764-70
Freire G (see João et al). 2000;13:785-7 (Case rep.)
Fry SJ, Picard MH, Tseng JF, Briggs SM, Isselbacher EM. The echocardiographic diagnosis, characterization, and extraction guidance of cardiac foreign bodies. 2000;13:232-9 (Case rep.)
Fukamachi K (see Armstrong et al). 2000;13:731-7
Fukui O (see Lim et al). 2000;13:18-25
Funaro S (see Castaldo et al). 2000;13:358-67
Funary A (see Hanlon et al). 2000;13:35-8

G

Gaddipatti A (see Flachskampf et al). 2000;13:277-87
Garcia MJ (see Firstenberg et al). 2000;13:696-8 (Case rep.)
Garcia MJ (see Mukherjee et al). 2000;13:650-4
Garcia MJ (see Rubin et al). 2000;13:1012-8
García-Pascual J, González-Gallarza RD, Jiménez MP, Martínez JP, Carnicer JO, Pajuelo CG. Löffler's syndrome: pulmonary vein and transmitral Doppler flow analysis by transesophageal echocardiography—report of a case. 2000;13:690-2 (Case rep.)
Garriga JM (see Delgado et al). 2000;13:685-9 (Case rep.)
Gauvreau K (see Munoz et al). 2000;13:177-85
Gaynor JW (see Raff et al). 2000;13:58-60 (Case rep.)
Gezerlis P (see Avramides et al). 2000;13:87-95
Giorgi D (see Di Bello et al). 2000;13:832-40
Giusti C (see Di Bello et al). 2000;13:832-40
Gleason M (see Raff et al). 2000;13:58-60 (Case rep.)
Godoy I (see Spencer et al). 2000;13:131-8
González-Gallarza RD (see García-Pascual et al). 2000;13:690-2 (Case rep.)
Goudevenos IA (see Dardas et al). 2000;13:809-17
Gowda M (see Ehler et al). 2000;13:1109-16
Grayburn PA (see Chen et al). 2000;13:748-53
Greenberg NL (see Firstenberg et al). 2000;13:696-8 (Case rep.)
Greim C-A, Broscheit J-A, Lorenz K-W, Thiel H, Roewer N. Intracavitary contrast intensity after transpulmonary transmission of a second-generation contrast agent at normal and reduced myocardial contractility. 2000;13:1030-7
Gresser C (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Gresser C (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Gresser C (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Griffin BP (see Mukherjee et al). 2000;13:650-4
Groch L (see Meluzín et al). 2000;13:1043-6 (Case rep.)
Gruver C (see Weiss et al). 2000;13:124-30
Guerrero JL (see Scherrer-Crosbie et al). 2000;13:353-7
Guibaud J-P (see Idir et al). 2000;13:61-3 (Case rep.)
Gulati M (see Spencer et al). 2000;13:51-7
Güler N (see Bilge et al). 2000;13:154-6 (Case rep.)
Güler N (see Bilge et al). 2000;13:271-6
Güler N (see Bilge et al). 2000;13:1127-9 (Case rep.)
Günther RW (see Kühl et al). 2000;13:205-15
Gussak HM (see Finch-Johnston et al). 2000;13:9-17
Güvener M (see Özer et al). 2000;13:626-8 (Case rep.)

H

Ha J-W, Chung N, Kang S-M, Jang K-J, Kim I-J, Rim S-J, Jang Y, Shim W-H, Cho S-Y, Kim S-S. Enhanced detection of left atrial spontaneous echo contrast by transthoracic harmonic imaging in mitral stenosis. 2000;13:849-54
Hagers Y, Koole M, Schoors D, Van Camp G. Tricuspid stenosis: a rare complication of pacemaker-related endocarditis. 2000;13:66-8 (Case rep.)
Haim N (see Reisner et al). 2000;13:876-81 (Review article)

Hall CS (see Lanza et al). 2000;13:608-14
Hanatani A (see Tsujita-Kuroda et al). 2000;13:300-5
Hanlon JT, Lowe RI, Funary A. Substernal epicardial echocardiography: a new ultrasonic window to the postoperative heart. 2000;13:35-8
Hanrath P (see Flachskampf et al). 2000;13:277-87
Hanrath P (see Kühl et al). 2000;13:205-15
Harrell FE Jr (see Weiss et al). 2000;13:124-30
Hatle L (see Kukulski et al). 2000;13:194-204
Hatle L (see Voigt et al). 2000;13:588-98
Haugen BO (see Berg et al). 2000;13:393-402
Hayabuchi Y (see Mori et al). 2000;13:1002-11
Heimdal A (see Støylen et al). 2000;13:1053-64
Helbæk H (see Carstensen et al). 2000;13:885-90
Herle A (see Spencer et al). 2000;13:51-7
Herregods M-C (see Bijnens et al). 2000;13:306-15
Hewett KW (see Denslow et al). 2000;13:969-79
Hirooka K (see Tsujita-Kuroda et al). 2000;13:300-5
Hoffmann R (see Kühl et al). 2000;13:205-15
Holland MR (see Finch-Johnston et al). 2000;13:9-17
Homma S (see Fard et al). 2000;13:582-7
Hong S-J (see Jeon et al). 2000;13:682-4 (Case rep.)
Hori M (see Lim et al). 2000;13:18-25
Hori M (see Palmes et al). 2000;13:738-47
Hori M (see Palmes et al). 2000;13:818-26
Horňáček I (see Meluzín et al). 2000;13:1043-6 (Case rep.)
Høst U (see Carstensen et al). 2000;13:885-90
Houseman A (see Lanza et al). 2000;13:608-14
Hübbert L (see Kukulski et al). 2000;13:194-204
Hübbert L (see Voigt et al). 2000;13:588-98
Huhta JC (see Tighe et al). 2000;13:780-4 (Case rep.)
Hwang GS (see Lim et al). 2000;13:264-70
Hyon M-S (see Park et al). 2000;13:26-34

I

Iarussi D (see Caruso et al). 2000;13:69-72 (Case rep.)
Idir M, Oysel N, Guibaud J-P, Labouyrie E, Roudaut R. Fragmentation of a right atrial myxoma presenting as a pulmonary embolism. 2000;13:61-3 (Case rep.)
Ihlen H (see Edvardsen et al). 2000;13:986-94
Ionescu AA, Butchart EG. The vegetation that was not a vegetation: excusable misinterpretation of transesophageal echocardiography findings in late infective endocarditis of a prosthetic mitral valve. 2000;13:322-4 (Case rep.)
Irvine T, Li X-N, Mori Y, Wanitkun S, Li X, Detmer PR, Martin RW, Pope A, Schwartz GA, Rusk RA, Kenny A, Sahn DJ. A digital 3-dimensional method for computing great artery flows: in vitro validation studies. 2000;13:841-8
Irvine T (see Rusk et al). 2000;13:910-7
Isselbacher EM (see Fry et al). 2000;13:232-9 (Case rep.)
Ito S (see Mishiro et al). 2000;13:1065-73
Ito T, Suwa M, Kobashi A, Yagi H, Nakamura T, Miyazaki S, Kitaura Y. Integrated backscatter assessment of left atrial spontaneous echo contrast in chronic nonvalvular atrial fibrillation: relation with clinical and echocardiographic parameters. 2000;13:666-73
Iwanochko RM (see Yu et al). 2000;13:216-24

J

João I, Cotrim C, Duarte JA, do Rosário L, Freire G, Pereira H, Oliveira LM, Catarino C, Carrageta M. Cardiac rupture during exercise stress echocardiography: a case report. 2000;13:785-7 (Case rep.)
Jang K-J (see Ha et al). 2000;13:849-54
Jang Y (see Ha et al). 2000;13:849-54
Jasper S (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Jasper S (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Jasper S (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Jenni R (see Brunner-La Rocca et al). 2000;13:599-607
Jensen SE (see Poulsen et al). 2000;13:723-30
Jeon H-K, Youn H-J, Yoo K-D, Park J-W, Kim H-Y, Rhim H-Y, Chae J-S, Kim J-H, Choi K-B, Hong S-J. Transthoracic echocardiographic demonstration of massive pulmonary thrombus caused by protein C deficiency. 2000;13:682-4 (Case rep.)
Jiménez MP (see García-Pascual et al). 2000;13:690-2 (Case rep.)
Johnson MC, Sekarski TJ, Balzer DT. Echocardiographic prediction of left-to-right shunt with atrial septal defects. 2000;13:1038-42
Jones K (see Main et al). 2000;13:764-70
Jost CHA (see Brunner-La Rocca et al). 2000;13:599-607
Jureidini SB, Marino CJ, Singh GK, Fiore A, Balfour IC. Main coronary artery and coronary ostial stenosis in children: detection by transthoracic color flow and pulsed Doppler echocardiography. 2000;13:255-63
Jureidini SB, Singh GK, Marino CJ, Fiore AC. Aberrant origin of the left coronary artery from the right aortic sinus: surgical intervention based on echocardiographic diagnosis. 2000;13:1117-20 (Case rep.)

K

Kabakçi G (see Özer et al). 2000;13:661-5
Kakavand B (see Donofrio et al). 2000;13:932-40
Kang S-M (see Ha et al). 2000;13:849-54
Karlsson M (see Voigt et al). 2000;13:588-98
Karovitch A (see Turek et al). 2000;13:412-4 (Case rep.)
Kasprzak JD (see Nosir et al). 2000;13:715-22
Kaul S (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Kaul S (see Bowman et al). 2000;13:415-6 (Case rep.)
Kaul S (see Weiss et al). 2000;13:124-30
Kawano S (see Lim et al). 2000;13:18-25
Kenny A (see Irvine et al). 2000;13:841-8
Kenny A (see Rusk et al). 2000;13:910-7
Kes S (see Özer et al). 2000;13:626-8 (Case rep.)
Kes S (see Özer et al). 2000;13:661-5
Kim H-Y (see Jeon et al). 2000;13:682-4 (Case rep.)
Kim I-J (see Ha et al). 2000;13:849-54
Kim J-H (see Jeon et al). 2000;13:682-4 (Case rep.)
Kim M-A (see Park et al). 2000;13:26-34
Kim S-S (see Ha et al). 2000;13:849-54
Kim SM (see Lim et al). 2000;13:264-70
Kim YH (see Lim et al). 2000;13:264-70
Kim Y-J, Sohn D-W. Mitral annulus velocity in the estimation of left ventricular filling pressure: prospective study in 200 patients. 2000;13:980-5
Kim Y-J (see Sohn et al). 2000;13:891-5
Kimura BJ, DeMaria AN. Indications for limited echocardiographic imaging: a mathematical model. 2000;13:855-61
Kisslo J (see Balestrini et al). 2000;13:171-6
Kitabatake A (see Nishihara et al). 2000;13:801-8
Kitaura Y (see Ito et al). 2000;13:666-73
Klein AL (see Abdalla et al). 2000;13:827-31
Knudson OA (see Alabdulkarim et al). 2000;13:924-31
Kobashi A (see Ito et al). 2000;13:666-73
Kodama K (see Lim et al). 2000;13:18-25
Kondo H (see Palmes et al). 2000;13:738-47
Kondo H (see Palmes et al). 2000;13:818-26
Koole M (see Hagers et al). 2000;13:66-8 (Case rep.)
Kronzon I (see Saric et al). 2000;13:316-8 (Case rep.)
Kronzon I (see Schwartzbard et al). 2000;13:1124-6 (Case rep.)
Krzanowski M, Bodzoń W, Brzostek T, Niżankowski R, Szczeklik A.

Value of transthoracic echocardiography for the detection of high-grade coronary artery stenosis: prospective evaluation in 50 consecutive patients scheduled for coronary angiography. 2000;13:1091-9

Kühl HP, Bücker A, Franke A, Maul S, Nolte-Ernsting C, Reineke T, Hoffmann R, Günther RW, Hanrath P. Transesophageal 3-dimensional echocardiography: in vivo determination of left ventricular mass in comparison with magnetic resonance imaging. 2000;13:205-15

Kukulski T, Hübbert L, Arnold M, Wranne B, Hatle L, Sutherland GR. Normal regional right ventricular function and its change with age: a Doppler myocardial imaging study. 2000;13:194-204

Kukulski T (see Voigt et al). 2000;13:588-98

Kuroda Y (see Mori et al). 2000;13:1002-11

Kuzuya T (see Palmes et al). 2000;13:738-47

Kuzuya T (see Palmes et al). 2000;13:818-26

L

Labouyrie E (see Idir et al). 2000;13:61-3 (Case rep.)

Laffort P (see Charet et al). 2000;13:955-8 (Case rep.)

Lafitte S (see Charet et al). 2000;13:955-8 (Case rep.)

Lahiri A (see Swinburn et al). 2000;13:680-1 (Case rep.)

Lang RM (see Spencer et al). 2000;13:51-7

Lang RM (see Spencer et al). 2000;13:131-8

Lange A (see Palka et al). 2000;13:96-107

Lange PE (see Ewert et al). 2000;13:866-8 (Case rep.)

Lanza GM, Abendschein DR, Hall CS, Scott MJ, Scherrer DE, Houseman A, Miller JG, Wickline SA. In vivo molecular imaging of stretch-induced tissue factor in carotid arteries with ligand-targeted nanoparticles. 2000;13:608-14

Lanzoni L (see Balestrini et al). 2000;13:171-6

Lax JA, Bermann AM, Cianciulli TF, Morita LA, Masoli O, Prezioso HA. Estimation of the ejection fraction in patients with myocardial infarction obtained from the combined index of systolic and diastolic left ventricular function: a new method. 2000;13:116-23

Lee M-M (see Sohn et al). 2000;13:891-5

Lee Y-W (see Sohn et al). 2000;13:891-5

Lequin MH (see Nosir et al). 2000;13:715-22

Lerakis S, Clements SD, Taylor WR, Robinson P, Martin RP. Transesophageal echocardiography detection of an esophageal sarcoma mimicking aortic dissection. 2000;13:619-21 (Case rep.)

Lerman J (see Berensztein et al). 2000;13:385-92

Leung TK (see Basmadjian et al). 2000;13:869-72 (Case rep.)

Levi A, Benvenisti O, David D. Significant beat-to-beat hemodynamic changes in fetal circulation: a consequence of abrupt intrathoracic pressure variation induced by hiccup. 2000; 13:295-9

Levine RA (see Flachskampf et al). 2000;13:277-87

Levine RA (see Scherrer-Crosbie et al). 2000;13:353-7

Li JS (see Balestrini et al). 2000;13:171-6

Li X (see Irvine et al). 2000;13:841-8

Li X-N (see Irvine et al). 2000;13:841-8

Liel-Cohen N (see Scherrer-Crosbie et al). 2000;13:353-7

Lim HE, Shim WJ, Rhee H, Kim SM, Hwang GS, Kim YH, Seo HS, Oh DJ, Ro YM. Assessment of coronary flow reserve with transthoracic Doppler echocardiography: comparison among adenosine, standard-dose dipyridamole, and high-dose dipyridamole. 2000;13:264-70

Lim Y-J, Masuyama T, Mishima M, Fukui O, Nakatani D, Kawano S, Sakata Y, Kodama K, Hori M. Effect of pre-reperfusion residual flow on recovery from myocardial stunning: a myocardial contrast echocardiography study. 2000;13:18-25

Lin SS (see Firstenberg et al). 2000;13:696-8 (Case rep.)

Lorenz K-W (see Greim et al). 2000;13:1030-7

Loukopoulos D (see Aessopos et al). 2000;13:645-9. Correction 2000;13:1042

Lowe RI (see Hanlon et al). 2000;13:35-8

M

Macheras J (see Alabdulkarim et al). 2000;13:924-31

Madonna F (see Charet et al). 2000;13:955-8 (Case rep.)

Maeno Y (see Abdullah et al). 2000;13:918-23

Maginot KR (see Mathewson et al). 2000;13:561-9. Correction 2000;13:817

Magriñá J (see Sitges et al). 2000;13:1084-90

Main ML, Foltz D, Firstenberg MS, Bobinsky E, Bailey D, Frantz B, Pleva D, Baldizzi M, Meyers DP, Jones K, Spence MC, Freeman K, Morehead A, Thomas JD. Real-time transmission of full-motion echocardiography over a high-speed data network: impact of data rate and network quality of service. 2000;13:764-70

Malenka DJ (see Beaver et al). 2000;13:622-5 (Case rep.)

Malhotra V, Nwogu J, Bondmass MD, Bean M, Bieniarz T, Tertell M, Conliss M, Devries S. Is the technically limited echocardiographic study an endangered species? Endocardial border definition with native tissue harmonic imaging and Optison contrast: a review of 200 cases. 2000;13:771-3

Maltagliati A, Pepi M. Isolated noncompaction of the myocardium: multiplane transesophageal echocardiography diagnosis in an adult man. 2000;13:1047-9 (Case rep.)

Manabe T (see Mori et al). 2000;13:1002-11

Marchal C (see Eder et al). 2000;13:995-1001

Marcos-Alberca P, Rey M, Serrano JM, Fernández-Rozas I, Navarro F, Contreras A, Rábago R. Aneurysm of the anterior leaflet of the mitral valve secondary to aortic valve endocarditis. 2000;13: 1050-2 (Case rep.)

Marcotegui M (see Berensztein et al). 2000;13:385-92

Marcus E (see Munoz et al). 2000;13:177-85

Marcus EN, Munoz RA, Palacio G, Wessel DL, Colan SD. A new quantitative method for the diagnosis of right ventricular hypertensive disorders in 3 dimensions. 2000;13:186-93

Marino CJ (see Jureidini et al). 2000;13:255-63

Marino CJ (see Jureidini et al). 2000;13:1117-20 (Case rep.)

Markiewicz W (see Reisner et al). 2000;13:876-81 (Review article)

Martin RP (see Lerakis et al). 2000;13:619-21 (Case rep.)

Martin RW (see Irvine et al). 2000;13:841-8

Martínez JP (see García-Pascual et al). 2000;13:690-2 (Case rep.)

Marwick T (see Armstrong et al). 2000;13:731-7

Maseda E (see Pereira et al). 2000;13:64-5 (Case rep.)

Masoli O (see Lax et al). 2000;13:116-23

Masuyama T (see Lim et al). 2000;13:18-25

Masuyama T (see Palmes et al). 2000;13:738-47

Masuyama T (see Palmes et al). 2000;13:818-26

Mateos M (see Pereira et al). 2000;13:64-5 (Case rep.)

Materazzi C (see Caruso et al). 2000;13:69-72 (Case rep.)

Mathewson JW, Perry JC, Maginot KR, Cocalis M. Pediatric digital echocardiography: a study of the analog-to-digital transition. 2000;13:561-9. Correction 2000;13:817

Matsuoka M (see Mishiro et al). 2000;13:1065-73

Mattioli AV, Fini M, Mattioli G. Right ventricular dysfunction after thrombolysis in patients with right ventricular infarction. 2000;13:655-60

Mattioli G (see Mattioli et al). 2000;13:655-60

Maul S (see Kühl et al). 2000;13:205-15

McCarthy PM (see Scalia et al). 2000;13:754-63

McCrindle BW (see Abdullah et al). 2000;13:918-23

McCulloch M, Gresser C, Moos S, Odabashian J, Jasper S, Bednarz J, Burgess P, Carney D, Moore V, Sisk E, Waggoner A, Witt S, Adams D. Ultrasound contrast physics: a series on contrast echocardiography, article 3. 2000;13:959-67 (Cardiac sonog. comm.)

Meluzín J, Groch L, Toman J, Horňáček I, Fischerová B. Rupture of the coronary artery after blunt nonpenetrating chest wall trauma detected by color Doppler echocardiography: a case report. 2000;13:1043-6 (Case rep.)
Meyers DP (see Main et al). 2000;13:764-70
Michalis LK (see Dardas et al). 2000;13:809-17
Mikami T (see Nishihara et al). 2000;13:801-8
Miller BJ (see Bowman et al). 2000;13:415-6 (Case rep.)
Miller JG (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Miller JG (see Finch-Johnston et al). 2000;13:9-17
Miller JG (see Lanza et al). 2000;13:608-14
Miranda-Guardiola F (see Sitges et al). 2000;13:1084-90
Mishima M (see Lim et al). 2000;13:18-25
Mishiro Y, Oki T, Yamada H, Onose Y, Matsuoka M, Tabata T, Wakatsuki T, Ito S. Use of angiotensin II stress pulsed tissue Doppler imaging to evaluate regional left ventricular contractility in patients with hypertrophic cardiomyopathy. 2000;13:1065-73
Miyatake K (see Tsujita-Kuroda et al). 2000;13:300-5
Miyazaki S (see Ito et al). 2000;13:666-73
Mobley J (see Finch-Johnston et al). 2000;13:9-17
Møller JE, Poulsen SH, Søndergaard E, Egstrup K. Preload dependence of color M-mode Doppler flow propagation velocity in controls and in patients with left ventricular dysfunction. 2000;13:902-9
Monaghan M (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Montgomery SC (see Bruce et al). 2000;13:674-9
Monzani F (see Di Bello et al). 2000;13:832-40
Moore V (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Moore V (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Moore V (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Moos S, Odabashian J, Jasper S, Bednarz J, Burgess P, Carney D, Floer S, Gresser C, Moore V, Sisk E, Trough M, Waggoner A, Witt S, Adams D. Incorporating ultrasound contrast in the laboratory: a series on contrast echocardiography, article 1. 2000;13:240-7 (Cardiac sonog. comm.)
Moos S (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Moos S (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Mor-Avi V (see Spencer et al). 2000;13:51-7
Mor-Avi V (see Spencer et al). 2000;13:131-8
Morehead A (see Main et al). 2000;13:764-70
Morewood GH, Weiss SJ. Intra-aortic balloon pump associated with dynamic left ventricular outflow tract obstruction after valve replacement for aortic stenosis. 2000;13:229-31 (Case rep.)
Mori K, Hayabuchi Y, Kuroda Y, Nii M, Manabe T. Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate. 2000;13:1002-11
Mori Y (see Irvine et al). 2000;13:841-8
Mori Y (see Rusk et al). 2000;13:910-7
Morita LA (see Lax et al). 2000;13:116-23
Moskowitz WB (see Donofrio et al). 2000;13:932-40
Mukherjee D, Nader S, Olano A, Garcia MJ, Griffin BP. Improvement in right ventricular systolic function after surgical correction of isolated tricuspid regurgitation. 2000;13:650-4
Mulvagh SL (see Agostini et al). 2000;13:1121-3 (Case rep.)
Mulvagh SL (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Munoz R, Marcus E, Palacio G, Gauvreau K, Wessel DL, Colan SD. Reconstruction of 3-dimensional right ventricular shape and volume from 3 orthogonal planes. 2000;13:177-85
Munoz RA (see Marcus et al). 2000;13:186-93
Murray RD (see Abdalla et al). 2000;13:827-31

N

Nader S (see Mukherjee et al). 2000;13:650-4
Nagdyman N (see Ewert et al). 2000;13:866-8 (Case rep.)
Nakamura T (see Ito et al). 2000;13:666-73
Nakatani D (see Lim et al). 2000;13:18-25
Nakatani S (see Tsujita-Kuroda et al). 2000;13:300-5
Navarro F (see Marcos-Alberca et al). 2000;13:1050-2 (Case rep.)
Nguyen TT (see Dhond et al). 2000;13:1025-9
Nižankowski R (see Krzanowski et al). 2000;13:1091-9
Nielsen JC (see Poulsen et al). 2000;13:379-84
Nii M (see Mori et al). 2000;13:1002-11
Nishihara K, Mikami T, Takatsuji H, Onozuka H, Saito N, Yamada S, Urasawa K, Kitabatake A. Usefulness of early diastolic flow propagation velocity measured by color M-mode Doppler technique for the assessment of left ventricular diastolic function in patients with hypertrophic cardiomyopathy. 2000;13:801-8
Nolte-Ernsting C (see Kühl et al). 2000;13:205-15
Nordlander R (see Alam et al). 2000;13:343-52
Nosir YFM, Vletter WB, Kasprzak JD, Boersma E, Lequin MH, Elhendy AA, Yao J, Stoker J, Ten Cate FJ, Roelandt JRTC. Optimal rotational interval for 3-dimensional echocardiography data acquisition for rapid and accurate measurement of left ventricular function. 2000;13:715-22
Novaro GM, Robbins MA, Firstenberg MS, Prior DL, Stewart WJ, Rodriguez LL. Disk embolization of a Björk-Shiley convexo-concave mitral valve: a cause of sudden cardiovascular collapse and mesenteric ischemia. 2000;13:417-20 (Case rep.)
Nuyts J (see Bijnens et al). 2000;13:306-15
Nwogu J (see Malhotra et al). 2000;13:771-3

O

Odabashian J (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Odabashian J (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Odabashian J (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Ogilvy CS (see Zaroff et al). 2000;13:774-9
Oh DJ (see Lim et al). 2000;13:264-70
Oh JK (see Dujardin et al). 2000;13:1080-3
Oki T (see Mishiro et al). 2000;13:1065-73
Oki T (see Tabata et al). 2000;13:108-15
Olano A (see Mukherjee et al). 2000;13:650-4
Oliveira LM (see João et al). 2000;13:785-7 (Case rep.)
Oliver JM (see Pereira et al). 2000;13:64-5 (Case rep.)
Olstad B (see Armstrong et al). 2000;13:731-7
Onose Y (see Mishiro et al). 2000;13:1065-73
Onose Y (see Tabata et al). 2000;13:108-15
Onozuka H (see Nishihara et al). 2000;13:801-8
Orlandini ADO, Tuero EI, Diaz R, Vilamajó OAG, Paolasso EA. Acute cardiac rupture during dobutamine-atropine echocardiography stress test. 2000;13:152-3 (Case rep.)
Ostensen J (see Yao et al). 2000;13:570-81
Otsuji Y (see Scherrer-Crosbie et al). 2000;13:353-7
Övünç K (see Özer et al). 2000;13:661-5
Oysel N (see Idir et al). 2000;13:61-3 (Case rep.)
Özer N, Aksöyek S, Aytemir K, Güvener M, Böke E, Kes S. Myxoma on anterior mitral leaflet presenting with symptoms of cerebellar artery infarction. 2000;13:626-8 (Case rep.)
Özer N, Tokgözoğlu L, Övünç K, Kabakçi G, Aksöyek S, Aytemir K, Kes S. Left atrial appendage function in patients with cardioembolic stroke in sinus rhythm and atrial fibrillation. 2000;13:661-5

P

Packer DL (see Bruce et al). 2000;13:788-95 (Review article)
Pai RG (see Ashmeik and Pai). 2000;13:693-5 (Case rep.)
Pai RG (see Ashmeik et al). 2000;13:407-11 (Case rep.)
Pajuelo CG (see Garcia-Pascual et al). 2000;13:690-2 (Case rep.)
Palac RT (see Beaver et al). 2000;13:622-5 (Case rep.)
Palacio G (see Marcus et al). 2000;13:186-93
Palacio G (see Munoz et al). 2000;13:177-85
Palka P, Lange A, Ferrington C, Fox KAA. Mean myocardial velocity mapping in quantifying regional myocardial contractile reserve in patients with impaired left ventricular systolic function: Doppler myocardial imaging study. 2000;13:96-107
Palmes PP, Masuyama T, Yamamoto K, Kondo H, Sakata Y, Takiuchi S, Kuzuya T, Hori M. High-frame-rate tissue harmonic imaging enhances anatomic M-mode sections of the left ventricle in short-axis view. 2000;13:738-47
Palmes PP, Masuyama T, Yamamoto K, Kondo H, Sakata Y, Takiuchi S, Kuzuya T, Hori M. Myocardial longitudinal motion by tissue velocity imaging in the evaluation of patients with myocardial infarction. 2000;13:818-26
Pandian NG (see De Castro et al). 2000;13:139-45
Pandian NG (see Yao et al). 2000;13:570-81
Paolasso EA (see Orlandini et al). 2000;13:152-3 (Case rep.)
Papetti F (see De Castro et al). 2000;13:139-45
Paré C (see Sitges et al). 2000;13:1084-90
Park J-W (see Jeon et al). 2000;13:682-4 (Case rep.)
Park S-H, Kim M-A, Hyon M-S. The advantages of on-line transesophageal echocardiography guide during percutaneous balloon mitral valvuloplasty. 2000;13:26-34
Park Y-B (see Sohn et al). 2000;13:891-5
Pasquet A (see Armstrong et al). 2000;13:731-7
Paterni M (see Di Bello et al). 2000;13:832-40
Paul JJ (see Tighe et al). 2000;13:780-4 (Case rep.)
Pepi M (see Maltagliati and Pepi). 2000;13:1047-9 (Case rep.)
Perakis A (see Avramides et al). 2000;13:87-95
Pereira H (see João et al). 2000;13:785-7 (Case rep.)
Pereira J, Oliver JM, Mateos M, Cerrón F, Maseda E, Cabestrero D, Sobrino JA. Tricuspid insufficiency and interatrial septum rupture: a cause of persistent systemic hypoxemia after blunt chest trauma. 2000;13:64-5 (Case rep.)
Pérez JE (see Finch-Johnston et al). 2000;13:9-17
Pérez JE (see Thanigaraj and Pérez). 2000;13:146-9 (Case rep.)
Pérez JE (see Thanigaraj and Pérez). 2000;13:862-5 (Brief comm.)
Perry JC (see Mathewson et al). 2000;13:561-9. Correction 2000;13:817
Petitclerc R (see Basmadjian et al). 2000;13:869-72 (Case rep.)
Petrovic LM (see Bowman et al). 2000;13:415-6 (Case rep.)
Petrovic O (see Finch-Johnston et al). 2000;13:9-17
Phoon CKL (see Balaguru et al). 2000;13:615-8 (Case rep.)
Picard MH (see Fry et al). 2000;13:232-9 (Case rep.)
Picard MH (see Scherrer-Crosbie et al). 2000;13:353-7
Picard MH (see Zaroff et al). 2000;13:774-9
Piñeiro D (see Berensztein et al). 2000;13:385-92
Pinsky DJ (see Fard et al). 2000;13:582-7
Pinto AG (see Vilacosta et al). 2000;13:403-6 (Case rep.)
Pionke T (see Spencer et al). 2000;13:51-7
Pislaru C (see Bijnens et al). 2000;13:306-15
Pislaru S (see Bijnens et al). 2000;13:306-15
Pleva D (see Main et al). 2000;13:764-70
Poldermans D (see Sozzi et al). 2000;13:1019-24
Pomerantz R (see Fisher et al). 2000;13:319-21 (Case rep.)
Pope A (see Irvine et al). 2000;13:841-8
Porter TR (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Pottier JM (see Eder et al). 2000;13:995-1001
Poulsen SH, Jensen SE, Tei C, Seward JB, Egstrup K. Value of the Doppler index of myocardial performance in the early phase of acute myocardial infarction. 2000;13:723-30
Poulsen SH, Nielsen JC, Andersen HR. The influence of heart rate on the Doppler-derived myocardial performance index. 2000;13:379-84
Poulsen SH (see Møller et al). 2000;13:902-9
Powers JE (see van der Wouw et al). 2000;13:288-94
Powers KB (see Ehler et al). 2000;13:1109-16
Pressman GS. Acute infarction of a previously stented coronary artery precipitated by dobutamine stress echocardiography. 2000;13:150-1 (Case rep.)
Prezioso HA (see Lax et al). 2000;13:116-23
Prior DL (see Novaro et al). 2000;13:417-20 (Case rep.)
Pulido G (see Dhond et al). 2000;13:1025-9

R

Rábago R (see Marcos-Alberca et al). 2000;13:1050-2 (Case rep.)
Raff GW, Gaynor JW, Weinberg PM, Spray TL, Gleason M. Membranous subpulmonic stenosis associated with ventricular septal defect and aortic insufficiency. 2000;13:58-60 (Case rep.)
Rakowski H (see Yu et al). 2000;13:216-24
Reineke T (see Kühl et al). 2000;13:205-15
Reisner SA, Brenner B, Haim N, Edoute Y, Markiewicz W. Echocardiography in nonbacterial thrombotic endocarditis: from autopsy to clinical entity. 2000;13:876-81 (Review article)
Rey M (see Marcos-Alberca et al). 2000;13:1050-2 (Case rep.)
Rhee H (see Lim et al). 2000;13:264-70
Rhim H-Y (see Jeon et al). 2000;13:682-4 (Case rep.)
Rickli H (see Brunner-La Rocca et al). 2000;13:599-607
Rim S-J (see Ha et al). 2000;13:849-54
Ro YM (see Lim et al). 2000;13:264-70
Robb JF (see Beaver et al). 2000;13:622-5 (Case rep.)
Robbins MA (see Novaro et al). 2000;13:417-20 (Case rep.)
Robinson P (see Lerakis et al). 2000;13:619-21 (Case rep.)
Rodriguez LL (see Novaro et al). 2000;13:417-20 (Case rep.)
Roelandt JRTC (see Elhendy et al). 2000;13:1-8
Roelandt JRTC (see Nosir et al). 2000;13:715-22
Roelandt JRTC (see Sozzi et al). 2000;13:1019-24
Roewer N (see Greim et al). 2000;13:1030-7
Rordorf GA (see Zaroff et al). 2000;13:774-9
Rosenzweig BP (see Saric et al). 2000;13:316-8 (Case rep.)
Roudaut R (see Charet et al). 2000;13:955-8 (Case rep.)
Roudaut R (see Idir et al). 2000;13:61-3 (Case rep.)
Rubin DN, Yazbek N, Garcia MJ, Stewart WJ, Thomas JD. Qualitative and quantitative effects of harmonic echocardiographic imaging on endocardial edge definition and side-lobe artifacts. 2000;13:1012-8
Rusk RA, Mori Y, Davies CH, Irvine T, Kenny A, Sahn DJ. Comparison of ventricular volume and mass measurements from B-and C-scan images with the use of real-time 3-dimensional echocardiography: studies in an in vitro model. 2000;13:910-7
Rusk RA (see Irvine et al). 2000;13:841-8
Rutkowski M (see Balaguru et al). 2000;13:615-8 (Case rep.)

S

Sahn DJ (see Irvine et al). 2000;13:841-8
Sahn DJ (see Rusk et al). 2000;13:910-7
Saito N (see Nishihara et al). 2000;13:801-8
Sakata Y (see Lim et al). 2000;13:18-25
Sakata Y (see Palmes et al). 2000;13:738-47
Sakata Y (see Palmes et al). 2000;13:818-26

Samad BA (see Alam et al). 2000;13:343-52
Samstad S (see Berg et al). 2000;13:393-402
Sanders SP (see Balestrini et al). 2000;13:171-6
Sanz G (see Sitges et al). 2000;13:1084-90
Saric M, Rosenzweig BP, Kronzon I. Unusual eustachian valve function. 2000;13:316-8 (Case rep.)
Saunamäki K (see Carstensen et al). 2000;13:885-90
Savage RM (see Scalia et al). 2000;13:754-63
Scalia GM, McCarthy PM, Savage RM, Smedira NG, Thomas JD. Clinical utility of echocardiography in the management of implantable ventricular assist devices. 2000;13:754-63
Scherrer DE (see Lanza et al). 2000;13:608-14
Scherrer-Crosbie M, Liel-Cohen N, Otsuji Y, Guerrero JL, Sullivan S, Levine RA, Picard MH. Myocardial perfusion and wall motion in infarction border zone: assessment by myocardial contrast echocardiography. 2000;13:353-7
Schoors D (see Hagers et al). 2000;13:66-8 (Case rep.)
Schrooten M (see Bijnens et al). 2000;13:306-15
Schwartz GA (see Irvine et al). 2000;13:841-8
Schwartzbard A, Freedberg RS, Kronzon I. The value of repeat transesophageal echocardiography in the evaluation of embolism from the aorta. 2000;13:1124-6 (Case rep.)
Schwarz KQ, Bezante GP, Chen X, Villa G, Brunelli C. Contrast harmonic color Doppler left ventriculography: machine-interpreted left ventricular ejection fraction compared with equilibrium-gated radionuclide ventriculography. 2000;13:368-78
Scott MJ (see Lanza et al). 2000;13:608-14
Seggewiss H (see Faber et al). 2000;13:1074-9
Sekarski TJ (see Johnson et al). 2000;13:1038-42
Senior R (see Swinburn et al). 2000;13:680-1 (Case rep.)
Seo HS (see Lim et al). 2000;13:264-70
Serrano JM (see Marcos-Alberca et al). 2000;13:1050-2 (Case rep.)
Seward JB (see Alizad and Seward). 2000;13:73-86 (Special rep.)
Seward JB (see Alizad and Seward). 2000;13:164-70 (Special rep.)
Seward JB (see Alizad and Seward). 2000;13:248-53 (Special rep.)
Seward JB (see Alizad and Seward). 2000;13:325-30 (Special rep.)
Seward JB (see Alizad and Seward). 2000;13:421-6 (Special rep.)
Seward JB (see Alizad and Seward). 2000;13:637-43 (Special rep.)
Seward JB (see Alizad and Seward). 2000;13:707-14 (Special rep.)
Seward JB (see Alizad and Seward). 2000;13:796-800 (Special rep.)
Seward JB (see Bruce et al). 2000;13:674-9
Seward JB (see Bruce et al). 2000;13:788-95 (Review article)
Seward JB (see Poulsen et al). 2000;13:723-30
Shaffer E (see Alabdulkarim et al). 2000;13:924-31
Shapiro LM (see Dardas et al). 2000;13:809-17
Shaw LJ (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Sheahan M (see Yao et al). 2000;13:570-81
Shim W-H (see Ha et al). 2000;13:849-54
Shim WJ (see Lim et al). 2000;13:264-70
Shimada T (see Tanabe et al). 2000;13:951-2 (Case rep.)
Sideris DA (see Dardas et al). 2000;13:809-17
Sieb L (see Spencer et al). 2000;13:51-7
Siegel RJ (see Bowman et al). 2000;13:415-6 (Case rep.)
Singh GK (see Jureidini et al). 2000;13:255-63
Singh GK (see Jureidini et al). 2000;13:1117-20 (Case rep.)
Sirinelli A (see Eder et al). 2000;13:995-1001
Sisk E (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Sisk E (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Sisk E (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Sitges M, Azqueta M, Paré C, Magriñá J, Miranda-Guardiola F, Velamazán M, Bosch X, Sanz G. Dobutamine stress echocardiography and exercise electrocardiography for risk stratification in medically treated unstable angina. 2000;13:1084-90
Siu SC (see Yu et al). 2000;13:216-24
Skjærpe T (see Soma et al). 2000;13:1100-8
Skjærpe T (see Støylen et al). 2000;13:1053-64
Sklenar J (see Weiss et al). 2000;13:124-30
Skopicki HA (see Fard et al). 2000;13:582-7
Sloggett CE (see Yu et al). 2000;13:216-24
Smallhorn JF (see Abdullah et al). 2000;13:918-23
Smedira NG (see Scalia et al). 2000;13:754-63
Smiseth OA (see Edvardsen et al). 2000;13:986-94
Sobrino JA (see Pereira et al). 2000;13:64-5 (Case rep.)
Sohn D-W, Kim Y-J, Lee M-M, Park Y-B, Choi Y-S, Lee Y-W. Differentiation between reversible and irreversible restrictive left ventricular filling patterns with the use of mitral annulus velocity. 2000;13:891-5
Sohn D-W (see Kim and Sohn). 2000;13:980-5
Solomon L (see Spencer et al). 2000;13:51-7
Soma J, Angelsen BAJ, Aakhus S, Skjærpe T. Sublingual nitroglycerin delays arterial wave reflections despite increased aortic "stiffness" in patients with hypertension: a Doppler echocardiography study. 2000;13:1100-8
Søndergaard E (see Møller et al). 2000;13:902-9
Sozzi FB, Poldermans D, Boersma E, Elhendy A, Bax JJ, Borghetti A, Roelandt JRTC. Does second harmonic imaging improve left ventricular endocardial border identification at higher heart rates during dobutamine stress echocardiography? 2000;13:1019-24
Spence MC (see Main et al). 2000;13:764-70
Spencer K, Solomon L, Mor-Avi V, Dean K, Weinert L, Gulati M, Herle A, Spiegel A, Balasia B, Pionke T, Sieb L, Lang RM. Effects of MPEG compression on the quality and diagnostic accuracy of digital echocardiography studies. 2000;13:51-7
Spencer KT, Bednarz J, Mor-Avi V, Weinert L, Tan J, Godoy I, Lang RM. The role of echocardiographic harmonic imaging and contrast enhancement for improvement of endocardial border delineation. 2000;13:131-8
Spencer KT (see Ward and Spencer). 2000;13:949-50 (Brief comm.)
Spiegel A (see Spencer et al). 2000;13:51-7
Spittell PC (see Bruce et al). 2000;13:674-9
Spray TL (see Raff et al). 2000;13:58-60 (Case rep.)
Stewart WJ (see Abdalla et al). 2000;13:827-31
Stewart WJ (see Novaro et al). 2000;13:417-20 (Case rep.)
Stewart WJ (see Rubin et al). 2000;13:1012-8
Stoker J (see Nosir et al). 2000;13:715-22
Støylen A, Heimdal A, Bjørnstad K, Wiseth R, Vik-Mo H, Torp H, Angelsen B, Skjærpe T. Strain rate imaging by ultrasonography in the diagnosis of coronary artery disease. 2000;13:1053-64
Suetens P (see Bijnens et al). 2000;13:306-15
Sugamori T (see Tanabe et al). 2000;13:951-2 (Case rep.)
Sullivan S (see Scherrer-Crosbie et al). 2000;13:353-7
Sumita Y (see Tsujita-Kuroda et al). 2000;13:300-5
Summerson C (see Aguilar and Summerson). 2000;13:873-5 (Case rep.)
Sutherland GR (see Bijnens et al). 2000;13:306-15
Sutherland GR (see Kukulski et al). 2000;13:194-204
Sutherland GR (see Voigt et al). 2000;13:588-98
Suwa M (see Ito et al). 2000;13:666-73
Swinburn J, Lahiri A, Senior R. Tissue harmonic imaging: a new method for predicting left ventricular thrombus? 2000;13:680-1 (Case rep.)
Szczeklik A (see Krzanowski et al). 2000;13:1091-9

T

Tabata T, Oki T, Yamada H, Abe M, Onose Y, Thomas JD. Subendocardial motion in hypertrophic cardiomyopathy: assessment from long-and short-axis views by pulsed tissue Doppler imaging. 2000;13:108-15

Tabata T (see Mishiro et al). 2000;13:1065-73
Tajik AJ (see Bruce et al). 2000;13:674-9
Takatsuji H (see Nishihara et al). 2000;13:801-8
Takeuchi M (see Yao et al). 2000;13:570-81
Takiuchi S (see Palmes et al). 2000;13:738-47
Takiuchi S (see Palmes et al). 2000;13:818-26
Taktikou H (see Aessopos et al). 2000;13:645-9. Correction 2000;13:1042
Takuma S (see Fard et al). 2000;13:582-7
Talini E (see Di Bello et al). 2000;13:832-40
Tan J (see Spencer et al). 2000;13:131-8
Tanabe K, Sugamori T, Yoshitomi H, Asanuma T, Shimada T. Fatal cardiac rupture: a case of subepicardial aneurysm after myocardial infarction. 2000;13:951-2 (Case rep.)
Tardif J-C (see Basmadjian et al). 2000;13:869-72 (Case rep.)
Taylor WR (see Lerakis et al). 2000;13:619-21 (Case rep.)
Tei C (see Poulsen et al). 2000;13:723-30
Ten Cate FJ (see Nosir et al). 2000;13:715-22
Tertell M (see Malhotra et al). 2000;13:771-3
Teufel EJ (see Beaver et al). 2000;13:622-5 (Case rep.)
Teupe C (see Yao et al). 2000;13:570-81
Thanigaraj S, Pérez JE. Apical hypertrophic cardiomyopathy: echocardiographic diagnosis with the use of intravenous contrast image enhancement. 2000;13:146-9 (Case rep.)
Thanigaraj S, Pérez JE. Diagnosis of cardiac rupture with the use of contrast-enhanced echocardiography. 2000;13:862-5 (Brief comm.)
Thiel H (see Greim et al). 2000;13:1030-7
Thomas JD (see Abdalla et al). 2000;13:827-31
Thomas JD (see Firstenberg et al). 2000;13:696-8 (Case rep.)
Thomas JD (see Flachskampf et al). 2000;13:277-87
Thomas JD (see Main et al). 2000;13:764-70
Thomas JD (see Rubin et al). 2000;13:1012-8
Thomas JD (see Scalia et al). 2000;13:754-63
Thomas JD (see Tabata et al). 2000;13:108-15
Tighe DA, Paul JJ, Huhta JC. Superior vena caval syndrome: color flow Doppler detection of collateral venous channels. 2000;13:780-4 (Case rep.)
Tokgözoğlu L (see Özer et al). 2000;13:661-5
Toman J (see Meluzin et al). 2000;13:1043-6 (Case rep.)
Torino AF (see Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
Torp H (see Berg et al). 2000;13:393-402
Torp H (see Støylen et al). 2000;13:1053-64
Tranquart F (see Eder et al). 2000;13:995-1001
Trough M (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Trough M (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Tseng JF (see Fry et al). 2000;13:232-9 (Case rep.)
Tsikaderis DD (see Dardas et al). 2000;13:809-17
Tsujita-Kuroda Y, Zhang G, Sumita Y, Hirooka K, Hanatani A, Nakatani S, Yasumura Y, Miyatake K, Yamagishi M. Validity and reproducibility of echocardiographic measurement of left ventricular ejection fraction by acoustic quantification with tissue harmonic imaging technique. 2000;13:300-5
Tuero EI (see Orlandini et al). 2000;13:152-3 (Case rep.)
Turek MA, Karovitch A, Aaron SD, Brais M. Persistent hypoxemia occurring as a complication of tricuspid valve endocarditis. 2000;13:412-4 (Case rep.)

U

Ugolini P (see Basmadjian et al). 2000;13:869-72 (Case rep.)
Urasawa K (see Nishihara et al). 2000;13:801-8

V

Vacek JL (see Ehler et al). 2000;13:1109-16
Valdes-Cruz L (see Alabdulkarim et al). 2000;13:924-31
Valenti G (see Di Bello et al). 2000;13:832-40
Van Camp G (see Hagers et al). 2000;13:66-8 (Case rep.)
van der Wouw PA, Brauns AC, Bailey SE, Powers JE, Wilde AAA. Premature ventricular contractions during triggered imaging with ultrasound contrast. 2000;13:288-94
Van de Werf F (see Bijnens et al). 2000;13:306-15
van Domburg RT (see Elhendy et al). 2000;13:1-8
Velamazán M (see Sitges et al). 2000;13:1084-90
Veneroso G (see Castaldo et al). 2000;13:358-67
Vik-Mo H (see Støylen et al). 2000;13:1053-64
Vilacosta I, de Dios RM, Pinto AG. Aortic intramural hematoma during coronary angioplasty: insights into the pathogenesis of intramedial hemorrhage. 2000;13:403-6 (Case rep.)
Vilamajó OAG (see Orlandini et al). 2000;13:152-3 (Case rep.)
Villa G (see Schwarz et al). 2000;13:368-78
Villanueva FS (see American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Vletter WB (see Nosir et al). 2000;13:715-22
Voigt J-U, Arnold MF, Karlsson M, Hübbert L, Kukulski T, Hatle L, Sutherland GR. Assessment of regional longitudinal myocardial strain rate derived from Doppler myocardial imaging indexes in normal and infarcted myocardium. 2000;13:588-98
Voudris V (see Avramides et al). 2000;13:87-95

W

Waggoner A (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Waggoner A (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Waggoner A (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Waggoner AD. Congestive heart failure and the role of two-dimensional Doppler echocardiography: a primer for cardiac sonographers. 2000;13:157-63 (Cardiac sonog. comm.)
Wakatsuki T (see Mishiro et al). 2000;13:1065-73
Wallentin I (see Bech-Hanssen et al). 2000;13:39-50
Wandt B. Long-axis contraction of the ventricles: a modern approach, but described already by Leonardo da Vinci. 2000;13:699-706 (Historical review)
Wandt B (see Emilsson et al). 2000;13:896-901
Wang CY (see Fard et al). 2000;13:582-7
Wang Z (see Chen et al). 2000;13:748-53
Wanitkun S (see Irvine et al). 2000;13:841-8
Ward P, Spencer KT. Migration of a transjugular intrahepatic portosystemic shunt (TIPS) stent: evaluation by transesophageal echocardiography. 2000;13:949-50 (Brief comm.)
Wardell J (see Alam et al). 2000;13:343-52
Weinberg PM (see Raff et al). 2000;13:58-60 (Case rep.)
Weinert L (see Spencer et al). 2000;13:51-7
Weinert L (see Spencer et al). 2000;13:131-8
Weinschelbaum E (see Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
Weiss JP, Gruver C, Kaul S, Harrell FE Jr, Sklenar J, Dent JM. Ordering an echocardiogram for evaluation of left ventricular function: level of expertise necessary for efficient use. 2000;13:124-30
Weiss SJ (see Morewood and Weiss). 2000;13:229-31 (Case rep.)
Wessel DL (see Marcus et al). 2000;13:186-93
Wessel DL (see Munoz et al). 2000;13:177-85
Weyman AE (see Flachskampf et al). 2000;13:277-87
Wickline SA (see Lanza et al). 2000;13:608-14
Wilde AAA (see van der Wouw et al). 2000;13:288-94
Wiseth R (see Støylen et al). 2000;13:1053-64
Witt S (see Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Witt S (see McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)

Witt S (see Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Wranne B (see Bech-Hanssen et al). 2000;13:39-50
Wranne B (see Kukulski et al). 2000;13:194-204

Y

Yagi H (see Ito et al). 2000;13:666-73
Yamada H (see Mishiro et al). 2000;13:1065-73
Yamada H (see Tabata et al). 2000;13:108-15
Yamada S (see Nishihara et al). 2000;13:801-8
Yamagishi M (see Tsujita-Kuroda et al). 2000;13:300-5
Yamamoto K (see Palmes et al). 2000;13:738-47
Yamamoto K (see Palmes et al). 2000;13:818-26
Yao J, Teupe C, Takeuchi M, Avelar E, Sheahan M, Connolly R, Ostensen J, Pandian NG. Quantitative 3-dimensional contrast echocardiographic determination of myocardial mass at risk and residual infarct mass after reperfusion: experimental canine studies with intravenous contrast agent NC100100. 2000;13:570-81
Yao J (see Nosir et al). 2000;13:715-22
Yasumura Y (see Tsujita-Kuroda et al). 2000;13:300-5
Yazbek N (see Rubin et al). 2000;13:1012-8
Yoo K-D (see Jeon et al). 2000;13:682-4 (Case rep.)
Yoshitomi H (see Tanabe et al). 2000;13:951-2 (Case rep.)
Youn H-J (see Jeon et al). 2000;13:682-4 (Case rep.)
Yu EHC, Sloggett CE, Iwanochko RM, Rakowski H, Siu SC. Feasibility and accuracy of left ventricular volumes and ejection fraction determination by fundamental, tissue harmonic, and intravenous contrast imaging in difficult-to-image patients. 2000;13:216-24

Z

Zaroff JG, Rordorf GA, Ogilvy CS, Picard MH. Regional patterns of left ventricular systolic dysfunction after subarachnoid hemorrhage: evidence for neurally mediated cardiac injury. 2000;13:774-9
Zehr K (see Darbar et al). 2000;13:1130-4 (Case rep.)
Zhang G (see Tsujita-Kuroda et al). 2000;13:300-5
Zhou Y-T (see Chen et al). 2000;13:748-53
Ziemssen P (see Faber et al). 2000;13:1074-9

Index to Subjects*

A

Abscess
Obstruction of left ventricular outflow tract by vegetation and periaortic abscess (Basmadjian et al). 2000;13:869-72 (Case rep.)

Abstracts
Abstracts. 2000;13:427-507

Acoustic quantification
Validity and reproducibility of echocardiographic measurement of left ventricular ejection fraction by acoustic quantification with tissue harmonic imaging technique (Tsujita-Kuroda et al). 2000;13:300-5

Adenocarcinoma
Metastatic pancreatic adenocarcinoma to the heart diagnosed antemortem (Bowman et al). 2000;13:415-6 (Case rep.)

Adenosine
Assessment of coronary flow reserve with transthoracic Doppler echocardiography: comparison among adenosine, standard-dose dipyridamole, and high-dose dipyridamole (Lim et al). 2000;13:264-70

Age factors
Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate (Mori et al). 2000;13:1002-11
Normal regional right ventricular function and its change with age: a Doppler myocardial imaging study (Kukulski et al). 2000;13:194-204

Aged
Right ventricular outflow tract obstruction in an older woman: facilitated diagnosis with transesophageal echocardiography–guided biopsy (Beaver et al). 2000;13:622-5 (Case rep.)

Alagille syndrome
Echocardiographic features of genetic diseases: part 7. Complex genetic disorders (Alizad and Seward). 2000;13:707-14 (Special rep.)

Albumins
Optimization of the size distribution and myocardial contrast effect of perfluorocarbon-filled albumin microbubbles by lyophilization under continuous negative pressure (Chen et al). 2000;13:748-53

Aneurysm
Aneurysm of the anterior leaflet of the mitral valve secondary to aortic valve endocarditis (Marcos-Alberca et al). 2000;13:1050-2 (Case rep.)
Fatal cardiac rupture: a case of subepicardial aneurysm after myocardial infarction (Tanabe et al). 2000;13:951-2 (Case rep.)

Angina, unstable
Dobutamine stress echocardiography and exercise electrocardiography for risk stratification in medically treated unstable angina (Sitges et al). 2000;13:1084-90

Angiography
Value of transthoracic echocardiography for the detection of high-grade coronary artery stenosis: prospective evaluation in 50 consecutive patients scheduled for coronary angiography (Krzanowski et al). 2000;13:1091-9

Angioplasty
Aortic intramural hematoma during coronary angioplasty: insights into the pathogenesis of intramedial hemorrhage (Vilacosta et al). 2000;13:403-6 (Case rep.)

Angiotensin II
Use of angiotensin II stress pulsed tissue Doppler imaging to evaluate regional left ventricular contractility in patients with hypertrophic cardiomyopathy (Mishiro et al). 2000;13:1065-73

Anisotropy
Cyclic variation of integrated backscatter: dependence of time delay on the echocardiographic view used and the myocardial segment analyzed (Finch-Johnston et al). 2000;13:9-17

Anoxemia
Persistent hypoxemia occurring as a complication of tricuspid valve endocarditis (Turek et al). 2000;13:412-4 (Case rep.)
Tricuspid insufficiency and interatrial septum rupture: a cause of persistent systemic hypoxemia after blunt chest trauma (Pereira et al). 2000;13:64-5 (Case rep.)

Antibodies, antiphospholipid
Intracardiac thrombus in antiphospholipid antibody syndrome (Aguilar and Summerson). 2000;13:873-5 (Case rep.)

Antiphospholipid syndrome
Intracardiac thrombus in antiphospholipid antibody syndrome (Aguilar and Summerson). 2000;13:873-5 (Case rep.)

Aorta
Aberrant origin of the left coronary artery from the right aortic sinus: surgical intervention based on echocardiographic diagnosis (Jureidini et al). 2000;13:1117-20 (Case rep.)
Aortic dissection with fistula to left atrium: diagnosis by transesophageal echocardiography with successful repair (Caruso et al). 2000;13:69-72 (Case rep.)
Aortic intramural hematoma during coronary angioplasty: insights into the pathogenesis of intramedial hemorrhage (Vilacosta et al). 2000;13:403-6 (Case rep.)
Late-diastolic forward flow in the aorta induced by left atrial contraction (Ewert et al). 2000;13:866-8 (Case rep.)
Localized aortic dissection: unusual features by transesophageal echocardiography (Darbar et al). 2000;13:1130-4 (Case rep.)
Noninvasive assessment and necropsy validation of changes in left ventricular mass in ascending aortic banded mice (Fard et al). 2000;13:582-7
Obstruction of left ventricular outflow tract by vegetation and periaortic abscess (Basmadjian et al). 2000;13:869-72 (Case rep.)
Sublingual nitroglycerin delays arterial wave reflections despite increased aortic "stiffness" in patients with hypertension: a Doppler echocardiography study (Soma et al). 2000;13:1100-8
Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach (Alabdulkarim et al). 2000;13:924-31
Transesophageal echocardiography detection of an esophageal sarcoma mimicking aortic dissection (Lerakis et al). 2000;13:619-21 (Case rep.)
Unsuspected embolic fungal endocarditis of an aortic conduit diagnosed by transesophageal echocardiography (Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
The value of repeat transesophageal echocardiography in the

Indexes to the Eleventh Annual Scientific Sessions abstracts are located in the May issue.

*January, pp 1-86; February, pp 87-170; March, pp 171-254; April, pp 255-342; May, pp 343-560; June, pp 561-644; July, pp 645-714; August, pp 715-800; September, pp 801-884; October, pp 885-968; November, pp 969-1052; December, pp 1053-1166.

evaluation of embolism from the aorta (Schwartzbard et al). 2000;13:1124-6 (Case rep.)

Aorta, abdominal

Personal ultrasound imager: abdominal aortic aneurysm screening (Bruce et al). 2000;13:674-9

Aortic valve

Aortic prosthetic valve design and size: relation to Doppler echocardiographic findings and pressure recovery—an in vitro study (Bech-Hanssen et al). 2000;13:39-50

Echocardiographic assessment of stentless aortic bioprosthetic valves (Bach). 2000;13:941-8

An unusual case of acquired ventricular septal defect as a complication of aortic valve endocarditis: echocardiographic delineation of multiple subvalvular complications in one patient (Ashmeik and Pai). 2000;13:693-5 (Case rep.)

Aortic valve insufficiency

Membranous subpulmonic stenosis associated with ventricular septal defect and aortic insufficiency (Raff et al). 2000;13:58-60 (Case rep.)

Aortic valve stenosis

A case of left atrial appendage thrombus with embolic stroke in association with aortic stenosis in sinus rhythm (Bilge et al). 2000;13:1127-9 (Case rep.)

Intra-aortic balloon pump associated with dynamic left ventricular outflow tract obstruction after valve replacement for aortic stenosis (Morewood and Weiss). 2000;13:229-31 (Case rep.)

Arrhythmogenic right ventricular cardiomyopathy; *see* Myocardial diseases

Arteries

A digital 3-dimensional method for computing great artery flows: in vitro validation studies (Irvine et al). 2000;13:841-8

Atrial fibrillation

Integrated backscatter assessment of left atrial spontaneous echo contrast in chronic nonvalvular atrial fibrillation: relation with clinical and echocardiographic parameters (Ito et al). 2000;13:666-73

Left atrial appendage function in patients with cardioembolic stroke in sinus rhythm and atrial fibrillation (Özer et al). 2000;13:661-5

Atrial function, left

Integrated backscatter assessment of left atrial spontaneous echo contrast in chronic nonvalvular atrial fibrillation: relation with clinical and echocardiographic parameters (Ito et al). 2000;13:666-73

Left atrial appendage function in patients with cardioembolic stroke in sinus rhythm and atrial fibrillation (Özer et al). 2000;13:661-5

Transesophageal echocardiography assessment of left atrial appendage function in untreated systemic hypertensive patients in sinus rhythm (Bilge et al). 2000;13:271-6

Atropine

Acute cardiac rupture during dobutamine-atropine echocardiography stress test (Orlandini et al). 2000;13:152-3 (Case rep.)

Atrioventricular plane motion during dubutamine-atropine stress echocardiography: the biphasic response in healthy subjects revisited (Carstensen et al). 2000;13:885-90

Autopsy

Echocardiography in nonbacterial thrombotic endocarditis: from autopsy to clinical entity (Reisner et al). 2000;13:876-81 (Review article)

Noninvasive assessment and necropsy validation of changes in left ventricular mass in ascending aortic banded mice (Fard et al). 2000;13:582-7

B

Backscatter

Are changes in myocardial integrated backscatter restricted to the ischemic zone in acute induced ischemia? An in vivo animal study (Bijnens et al). 2000;13:306-15

Cyclic variation of integrated backscatter: dependence of time delay on the echocardiographic view used and the myocardial segment analyzed (Finch-Johnston et al). 2000;13:9-17

Detection of residual tissue viability within the infarct zone in patients with acute myocardial infarction: ultrasonic integrated backscatter analysis versus dobutamine stress echocardiography (Castaldo et al). 2000;13:358-67

Integrated backscatter assessment of left atrial spontaneous echo contrast in chronic nonvalvular atrial fibrillation: relation with clinical and echocardiographic parameters (Ito et al). 2000;13:666-73

Balloon dilatation

The advantages of on-line transesophageal echocardiography guide during percutaneous balloon mitral valvuloplasty (Park et al). 2000;13:26-34

Bioprosthesis

Echocardiographic assessment of stentless aortic bioprosthetic valves (Bach). 2000;13:941-8

Intra-aortic balloon pump associated with dynamic left ventricular outflow tract obstruction after valve replacement for aortic stenosis (Morewood and Weiss). 2000;13:229-31 (Case rep.)

Biopsy

Right ventricular outflow tract obstruction in an older woman: facilitated diagnosis with transesophageal echocardiography–guided biopsy (Beaver et al). 2000;13:622-5 (Case rep.)

Björk-Shiley mitral valve prosthesis; see Heart valve prosthesis

Blood flow velocity

Differentiation between reversible and irreversible restrictive left ventricular filling patterns with the use of mitral annulus velocity (Sohn et al). 2000;13:891-5

A digital 3-dimensional method for computing great artery flows: in vitro validation studies (Irvine et al). 2000;13:841-8

Echocardiographic prediction of left-to-right shunt with atrial septal defects (Johnson et al). 2000;13:1038-42

Effect of pre-reperfusion residual flow on recovery from myocardial stunning: a myocardial contrast echocardiography study (Lim et al). 2000;13:18-25

Late-diastolic forward flow in the aorta induced by left atrial contraction (Ewert et al). 2000;13:866-8 (Case rep.)

Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow (Brunner-La Rocca et al). 2000;13:599-607

Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate (Mori et al). 2000;13:1002-11

Löffler's syndrome: pulmonary vein and transmitral Doppler flow analysis by transesophageal echocardiography—report of a case (García-Pascual et al). 2000;13:690-2 (Case rep.)

Mean myocardial velocity mapping in quantifying regional myocardial contractile reserve in patients with impaired left ventricular systolic function: Doppler myocardial imaging study (Palka et al). 2000;13:96-107

Mitral annulus velocity in the estimation of left ventricular filling pressure: prospective study in 200 patients (Kim and Sohn). 2000;13:980-5

Myocardial longitudinal motion by tissue velocity imaging in the

evaluation of patients with myocardial infarction (Palmes et al). 2000;13:818-26
Preload dependence of color M-mode Doppler flow propagation velocity in controls and in patients with left ventricular dysfunction (Møller et al). 2000;13:902-9
Reversal of the pattern of respiratory variation of Doppler inflow velocities in constrictive pericarditis during mechanical ventilation (Abdalla et al). 2000;13:827-31
Usefulness of early diastolic flow propagation velocity measured by color M-mode Doppler technique for the assessment of left ventricular diastolic function in patients with hypertrophic cardiomyopathy (Nishihara et al). 2000;13:801-8
Volumetric blood flow measurement with the use of dynamic 3-dimensional ultrasound color flow imaging (Berg et al). 2000;13:393-402

Blood volume
Volumetric blood flow measurement with the use of dynamic 3-dimensional ultrasound color flow imaging (Berg et al). 2000;13:393-402

Blunt injuries; *see* Wounds, nonpenetrating

Brief communications
Brief communications. 2000;13:862-5, 949-50

C

Cardiac injuries; *see* Heart injuries

Cardiac rupture; *see* Heart rupture

Cardiac sonographers' communications
Cardiac sonographers' communications. 2000;13:157-63, 240-7, 629-36, 959-67

Cardiac transplantation; *see* Heart transplantation

Cardiac volume
Comparison of ventricular volume and mass measurements from B-and C-scan images with the use of real-time 3-dimensional echocardiography: studies in an in vitro model (Rusk et al). 2000;13:910-7
Feasibility and accuracy of left ventricular volumes and ejection fraction determination by fundamental, tissue harmonic, and intravenous contrast imaging in difficult-to-image patients (Yu et al). 2000;13:216-24
Reconstruction of 3-dimensional right ventricular shape and volume from 3 orthogonal planes (Munoz et al). 2000;13:177-85

Cardioembolic stroke; *see* Cerebrovascular disorders

Cardiomyopathies; *see* Myocardial diseases

Cardiomyopathy, congestive
Noninvasive assessment of left ventricular systolic function by stress-shortening relation, rate of change of power, preload-adjusted maximal power, and ejection force in idiopathic dilated cardiomyopathy: prognostic implications (Avramides et al). 2000;13:87-95

Cardiomyopathy, hypertrophic
Apical hypertrophic cardiomyopathy: echocardiographic diagnosis with the use of intravenous contrast image enhancement (Thanigaraj and Pérez). 2000;13:146-9 (Case rep.)
Noninvasive indexes of left atrial diastolic function in hypertrophic cardiomyopathy (Dardas et al). 2000;13:809-17
Subendocardial motion in hypertrophic cardiomyopathy: assessment from long-and short-axis views by pulsed tissue Doppler imaging (Tabata et al). 2000;13:108-15
Targeting percutaneous transluminal septal ablation for HOCM by intra-procedural echocardiographic monitoring (Faber et al). 2000;13:1074-9
Use of angiotensin II stress pulsed tissue Doppler imaging to evaluate regional left ventricular contractility in patients with hypertrophic cardiomyopathy (Mishiro et al). 2000;13:1065-73
Usefulness of early diastolic flow propagation velocity measured by color M-mode Doppler technique for the assessment of left ventricular diastolic function in patients with hypertrophic cardiomyopathy (Nishihara et al). 2000;13:801-8

Cardiovascular diseases
Disk embolization of a Björk-Shiley convexo-concave mitral valve: a cause of sudden cardiovascular collapse and mesenteric ischemia (Novaro et al). 2000;13:417-20 (Case rep.)
Echocardiographic features of genetic diseases: part 6. Complex cardiovascular defects (Alizad and Seward). 2000;13:637-43 (Special rep.)

Carotid arteries
In vivo molecular imaging of stretch-induced tissue factor in carotid arteries with ligand-targeted nanoparticles (Lanza et al). 2000;13:608-14

Case reports
Case reports. 2000;13:58-72, 146-56, 225-39, 316-24, 403-20, 615-28, 680-98, 780-7, 866-75, 951-8, 1043-52, 1117-34

Catheter ablation
Targeting percutaneous transluminal septal ablation for HOCM by intra-procedural echocardiographic monitoring (Faber et al). 2000;13:1074-9

Catheters, indwelling
Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach (Alabdulkarim et al). 2000;13:924-31

Cerebellum
Myxoma on anterior mitral leaflet presenting with symptoms of cerebellar artery infarction (Özer et al). 2000;13:626-8 (Case rep.)

Cerebrovascular disorders
A case of left atrial appendage thrombus with embolic stroke in association with aortic stenosis in sinus rhythm (Bilge et al). 2000;13:1127-9 (Case rep.)
Left atrial appendage function in patients with cardioembolic stroke in sinus rhythm and atrial fibrillation (Özer et al). 2000;13:661-5

Chest; *see* Thorax

Child
Intraoperative myocardial ischemia recognized by transesophageal echocardiography monitoring in the pediatric population: a report of 3 cases (Balaguru et al). 2000;13:615-8 (Case rep.)
Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate (Mori et al). 2000;13:1002-11
Pediatric digital echocardiography: a study of the analog-to-digital transition (Mathewson et al) 2000;13:561-9. Correction 2000;13:817
Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach (Alabdulkarim et al). 2000;13:924-31

Collateral circulation
Superior vena caval syndrome: color flow Doppler detection of collateral venous channels (Tighe et al). 2000;13:780-4 (Case rep.)

Color flow Doppler echocardiography; *see* Echocardiography, Doppler

Computers
Real-time transmission of full-motion echocardiography over a high-speed data network: impact of data rate and network quality of service (Main et al). 2000;13:764-70

Congenital heart defects; *see* Heart defects, congenital

Congestive heart failure; *see* Heart failure, congestive

Connective tissue diseases
Echocardiographic features of genetic diseases: part 4. Connective tissue (Alizad and Seward). 2000;13:325-30 (Special rep.)
Constrictive pericarditis; *see* Pericarditis, constrictive
Contractile reserve
Mean myocardial velocity mapping in quantifying regional myocardial contractile reserve in patients with impaired left ventricular systolic function: Doppler myocardial imaging study (Palka et al). 2000;13:96-107
Contraction, myocardial; *see* Myocardial contraction
Contrast agents
Harmonic imaging with Levovist for transthoracic echocardiographic reconstruction of left ventricle in patients with post-ischemic left ventricular dysfunction and suboptimal acoustic windows (De Castro et al). 2000;13:139-45
Contrast echocardiography; *see* Echocardiography, contrast
Contrast media
Apical hypertrophic cardiomyopathy: echocardiographic diagnosis with the use of intravenous contrast image enhancement (Thanigaraj and Pérez). 2000;13:146-9 (Case rep.)
Intracavitary contrast intensity after transpulmonary transmission of a second-generation contrast agent at normal and reduced myocardial contractility (Greim et al). 2000;13:1030-7
Is the technically limited echocardiographic study an endangered species? Endocardial border definition with native tissue harmonic imaging and Optison contrast: a review of 200 cases (Malhotra et al). 2000;13:771-3
Performing an echocardiographic examination with a contrast agent: a series on contrast echocardiography, article 2 (Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Quantitative 3-dimensional contrast echocardiographic determination of myocardial mass at risk and residual infarct mass after reperfusion: experimental canine studies with intravenous contrast agent NC100100 (Yao et al). 2000;13:570-81
Coronary artery
Aberrant origin of the left coronary artery from the right aortic sinus: surgical intervention based on echocardiographic diagnosis (Jureidini et al). 2000;13:1117-20 (Case rep.)
Rupture of the coronary artery after blunt nonpenetrating chest wall trauma detected by color Doppler echocardiography: a case report (Meluzín et al). 2000;13:1043-6 (Case rep.)
Coronary disease
Acute infarction of a previously stented coronary artery precipitated by dobutamine stress echocardiography (Pressman). 2000;13:150-1 (Case rep.)
Aortic intramural hematoma during coronary angioplasty: insights into the pathogenesis of intramedial hemorrhage (Vilacosta et al). 2000;13:403-6 (Case rep.)
Assessment of coronary flow reserve with transthoracic Doppler echocardiography: comparison among adenosine, standard-dose dipyridamole, and high-dose dipyridamole (Lim et al). 2000;13:264-70
Diagnosis of a left coronary artery to right ventricular fistula with progression to spontaneous closure (Cotton). 2000;13:225-8 (Case rep.)
Echocardiographic characterization of a rare type of coronary artery fistula draining into superior vena cava (Ashmeik et al). 2000;13:407-11 (Case rep.)
Main coronary artery and coronary ostial stenosis in children: detection by transthoracic color flow and pulsed Doppler echocardiography (Jureidini et al). 2000;13:255-63
Strain rate imaging by ultrasonography in the diagnosis of coronary artery disease (Støylen et al). 2000;13:1053-64
Transesophageal echocardiography assessment of severe ostial left main coronary stenosis (Firstenberg et al). 2000;13:696-8 (Case rep.)
Value of transthoracic echocardiography for the detection of high-grade coronary artery stenosis: prospective evaluation in 50 consecutive patients scheduled for coronary angiography (Krzanowski et al). 2000;13:1091-9
Corrections
Doppler-determined peak systolic tricuspid pressure gradient in persons with normal pulmonary function and tricuspid regurgitation (Aessopos et al) 2000;13:645-9. 2000;13:1042
Pediatric digital echocardiography: a study of the analog-to-digital transition (Mathewson et al) 2000;13:561-9. 2000;13:817
Correspondence
Letters. 2000;13:254, 644, 882-4

D

Death
Fatal cardiac rupture: a case of subepicardial aneurysm after myocardial infarction (Tanabe et al). 2000;13:951-2 (Case rep.)
Diagnosis
Diagnosis of cardiac rupture with the use of contrast-enhanced echocardiography (Thanigaraj and Pérez). 2000;13:862-5 (Brief comm.)
Right ventricular outflow tract obstruction in an older woman: facilitated diagnosis with transesophageal echocardiography–guided biopsy (Beaver et al). 2000;13:622-5 (Case rep.)
Diagnosis, differential
Fragmentation of a right atrial myxoma presenting as a pulmonary embolism (Idir et al). 2000;13:61-3 (Case rep.)
Localized aortic dissection: unusual features by transesophageal echocardiography (Darbar et al). 2000;13:1130-4 (Case rep.)
Myxoma on anterior mitral leaflet presenting with symptoms of cerebellar artery infarction (Özer et al). 2000;13:626-8 (Case rep.)
Transesophageal echocardiography detection of an esophageal sarcoma mimicking aortic dissection (Lerakis et al). 2000;13:619-21 (Case rep.)
Diagnostic imaging
Effects of MPEG compression on the quality and diagnostic accuracy of digital echocardiography studies (Spencer et al). 2000;13:51-7
Diastole
Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave Doppler tissue imaging (Alam et al). 2000;13:343-52
Estimation of the ejection fraction in patients with myocardial infarction obtained from the combined index of systolic and diastolic left ventricular function: a new method (Lax et al). 2000;13:116-23
Late-diastolic forward flow in the aorta induced by left atrial contraction (Ewert et al). 2000;13:866-8 (Case rep.)
Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow (Brunner-La Rocca et al). 2000;13:599-607
Long-axis contraction of the ventricles: a modern approach, but described already by Leonardo da Vinci (Wandt). 2000;13:699-706 (Historical review)
Noninvasive indexes of left atrial diastolic function in hypertrophic cardiomyopathy (Dardas et al). 2000;13:809-17
Usefulness of early diastolic flow propagation velocity measured by color M-mode Doppler technique for the assessment of left ventricular diastolic function in patients with hypertrophic cardiomyopathy (Nishihara et al). 2000;13:801-8

DiGeorge syndrome
Echocardiographic features of genetic diseases: part 7. Complex genetic disorders (Alizad and Seward). 2000;13:707-14 (Special rep.)
Digital echocardiography; *see* Echocardiography, digital
Dipyridamole
Assessment of coronary flow reserve with transthoracic Doppler echocardiography: comparison among adenosine, standard-dose dipyridamole, and high-dose dipyridamole (Lim et al). 2000;13:264-70
Dissection
Aortic dissection with fistula to left atrium: diagnosis by transesophageal echocardiography with successful repair (Caruso et al). 2000;13:69-72 (Case rep.)
Localized aortic dissection: unusual features by transesophageal echocardiography (Darbar et al). 2000;13:1130-4 (Case rep.)
Transesophageal echocardiography detection of an esophageal sarcoma mimicking aortic dissection (Lerakis et al). 2000;13:619-21 (Case rep.)
Dobutamine
Acute cardiac rupture during dobutamine-atropine echocardiography stress test (Orlandini et al). 2000;13:152-3 (Case rep.)
Acute infarction of a previously stented coronary artery precipitated by dobutamine stress echocardiography (Pressman). 2000;13:150-1 (Case rep.)
Atrioventricular plane motion during dubutamine-atropine stress echocardiography: the biphasic response in healthy subjects revisited (Carstensen et al). 2000;13:885-90
Detection of residual tissue viability within the infarct zone in patients with acute myocardial infarction: ultrasonic integrated backscatter analysis versus dobutamine stress echocardiography (Castaldo et al). 2000;13:358-67
Dobutamine stress echocardiography and exercise electrocardiography for risk stratification in medically treated unstable angina (Sitges et al). 2000;13:1084-90
Does second harmonic imaging improve left ventricular endocardial border identification at higher heart rates during dobutamine stress echocardiography? (Sozzi et al). 2000;13:1019-24
Evaluation of regional wall motion and quantitative measures of ventricular function during dobutamine stress echocardiography in pediatric cardiac transplantation patients (Donofrio et al). 2000;13:932-40
Use of peak systolic strain as an index of regional left ventricular function: comparison with tissue Doppler velocity during dobutamine stress and myocardial ischemia (Armstrong et al). 2000;13:731-7
Doppler echocardiography; *see* Echocardiography, Doppler
Doppler tissue imaging
Acute regional myocardial ischemia identified by 2-dimensional multiregion Doppler tissue imaging technique (Edvardsen et al). 2000;13:986-94
Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave Doppler tissue imaging (Alam et al). 2000;13:343-52
Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate (Mori et al). 2000;13:1002-11
Localization of the ventricular preexcitation site in Wolff-Parkinson-White syndrome with Doppler tissue imaging (Eder et al). 2000;13:995-1001
Mean myocardial velocity mapping in quantifying regional myocardial contractile reserve in patients with impaired left ventricular systolic function: Doppler myocardial imaging study (Palka et al). 2000;13:96-107
Normal regional right ventricular function and its change with age: a Doppler myocardial imaging study (Kukulski et al). 2000;13:194-204
Subendocardial motion in hypertrophic cardiomyopathy: assessment from long-and short-axis views by pulsed tissue Doppler imaging (Tabata et al). 2000;13:108-15
Use of angiotensin II stress pulsed tissue Doppler imaging to evaluate regional left ventricular contractility in patients with hypertrophic cardiomyopathy (Mishiro et al). 2000; 13:1065-73
Use of peak systolic strain as an index of regional left ventricular function: comparison with tissue Doppler velocity during dobutamine stress and myocardial ischemia (Armstrong et al). 2000;13:731-7
Dose-response relationship, drug
Assessment of coronary flow reserve with transthoracic Doppler echocardiography: comparison among adenosine, standard-dose dipyridamole, and high-dose dipyridamole (Lim et al). 2000;13:264-70
Down syndrome
Echocardiographic features of genetic diseases: part 6. Complex cardiovascular defects (Alizad and Seward). 2000;13:637-43 (Special rep.)

E

Echinococcosis
Echocardiographic demonstration of rupture of intraseptal hydatid cyst (Charet et al). 2000;13:955-8 (Case rep.)
Echocardiography, child
Evaluation of regional wall motion and quantitative measures of ventricular function during dobutamine stress echocardiography in pediatric cardiac transplantation patients (Donofrio et al). 2000;13:932-40
Main coronary artery and coronary ostial stenosis in children: detection by transthoracic color flow and pulsed Doppler echocardiography (Jureidini et al). 2000;13:255-63
Pediatric digital echocardiography: a study of the analog-to-digital transition (Mathewson et al) 2000;13:561-9. Correction 2000;13:817
Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach (Alabdulkarim et al). 2000; 13:924-31
Echocardiography, contrast
A case of arrhythmogenic right ventricular cardiomyopathy in sinus rhythm associated with thrombus in the right atrium (Bilge et al). 2000;13:154-6 (Case rep.)
Contrast echocardiography: current and future applications (American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Contrast harmonic color Doppler left ventriculography: machine-interpreted left ventricular ejection fraction compared with equilibrium-gated radionuclide ventriculography (Schwarz et al). 2000;13:368-78
Diagnosis of cardiac rupture with the use of contrast-enhanced echocardiography (Thanigaraj and Pérez). 2000;13:862-5 (Brief comm.)
Effect of pre-reperfusion residual flow on recovery from myocardial stunning: a myocardial contrast echocardiography study (Lim et al). 2000;13:18-25
Enhanced detection of left atrial spontaneous echo contrast by

transthoracic harmonic imaging in mitral stenosis (Ha et al). 2000;13:849-54
Feasibility and accuracy of left ventricular volumes and ejection fraction determination by fundamental, tissue harmonic, and intravenous contrast imaging in difficult-to-image patients (Yu et al). 2000;13:216-24
Incorporating ultrasound contrast in the laboratory: a series on contrast echocardiography, article 1 (Moos et al). 2000;13:240-7 (Cardiac sonog. comm.)
Integrated backscatter assessment of left atrial spontaneous echo contrast in chronic nonvalvular atrial fibrillation: relation with clinical and echocardiographic parameters (Ito et al). 2000;13:666-73
Intracavitary contrast intensity after transpulmonary transmission of a second-generation contrast agent at normal and reduced myocardial contractility (Greim et al). 2000;13:1030-7
Myocardial perfusion and wall motion in infarction border zone: assessment by myocardial contrast echocardiography (Scherrer-Crosbie et al). 2000;13:353-7
Performing an echocardiographic examination with a contrast agent: a series on contrast echocardiography, article 2 (Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)
Premature ventricular contractions during triggered imaging with ultrasound contrast (van der Wouw et al). 2000;13:288-94
Quantitative 3-dimensional contrast echocardiographic determination of myocardial mass at risk and residual infarct mass after reperfusion: experimental canine studies with intravenous contrast agent NC100100 (Yao et al). 2000;13:570-81
The role of echocardiographic harmonic imaging and contrast enhancement for improvement of endocardial border delineation (Spencer et al). 2000;13:131-8
Ultrasound contrast physics: a series on contrast echocardiography, article 3 (McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Ultrasound-enhanced thrombolysis at 20 kHz with air-filled and perfluorocarbon-filled contrast bispheres (Dhond et al). 2000;13:1025-9

Echocardiography, digital

Effects of MPEG compression on the quality and diagnostic accuracy of digital echocardiography studies (Spencer et al). 2000;13:51-7
Pediatric digital echocardiography: a study of the analog-to-digital transition (Mathewson et al) 2000;13:561-9. Correction 2000;13:817
Real-time transmission of full-motion echocardiography over a high-speed data network: impact of data rate and network quality of service (Main et al). 2000;13:764-70
Transition to an all-digital echocardiography laboratory: a large, multi-site private cardiology practice experience (Ehler et al). 2000;13:1109-16

Echocardiography, Doppler

Aortic prosthetic valve design and size: relation to Doppler echocardiographic findings and pressure recovery—an in vitro study (Bech-Hanssen et al). 2000;13:39-50
Assessment of coronary flow reserve with transthoracic Doppler echocardiography: comparison among adenosine, standard-dose dipyridamole, and high-dose dipyridamole (Lim et al). 2000;13:264-70
Congestive heart failure and the role of two-dimensional Doppler echocardiography: a primer for cardiac sonographers (Waggoner). 2000;13:157-63 (Cardiac sonog. comm.)
Doppler-determined peak systolic tricuspid pressure gradient in persons with normal pulmonary function and tricuspid regurgitation (Aessopos et al) 2000;645-9. Correction 2000;13:1042
The influence of heart rate on the Doppler-derived myocardial performance index (Poulsen et al). 2000;13:379-84
Intermittent electromechanical dissociation as an unusual sign of prosthetic valve thrombosis in a patient with prosthetic fibrous ingrowth (Delgado et al). 2000;13:685-9 (Case rep.)
Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate (Mori et al). 2000;13:1002-11
Löffler's syndrome: pulmonary vein and transmitral Doppler flow analysis by transesophageal echocardiography—report of a case (García-Pascual et al). 2000;13:690-2 (Case rep.)
Main coronary artery and coronary ostial stenosis in children: detection by transthoracic color flow and pulsed Doppler echocardiography (Jureidini et al). 2000;13:255-63
Mean myocardial velocity mapping in quantifying regional myocardial contractile reserve in patients with impaired left ventricular systolic function: Doppler myocardial imaging study (Palka et al). 2000;13:96-107
Preload dependence of color M-mode Doppler flow propagation velocity in controls and in patients with left ventricular dysfunction (Møller et al). 2000;13:902-9
Reversal of the pattern of respiratory variation of Doppler inflow velocities in constrictive pericarditis during mechanical ventilation (Abdalla et al). 2000;13:827-31
Rupture of the coronary artery after blunt nonpenetrating chest wall trauma detected by color Doppler echocardiography: a case report (Meluzín et al). 2000;13:1043-6 (Case rep.)
Subendocardial motion in hypertrophic cardiomyopathy: assessment from long-and short-axis views by pulsed tissue Doppler imaging (Tabata et al). 2000;13:108-15
Sublingual nitroglycerin delays arterial wave reflections despite increased aortic "stiffness" in patients with hypertension: a Doppler echocardiography study (Soma et al). 2000;13:1100-8
Superior vena caval syndrome: color flow Doppler detection of collateral venous channels (Tighe et al). 2000;13:780-4 (Case rep.)
Transesophageal echocardiography assessment of severe ostial left main coronary stenosis (Firstenberg et al). 2000;13:696-8 (Case rep.)
Usefulness of early diastolic flow propagation velocity measured by color M-mode Doppler technique for the assessment of left ventricular diastolic function in patients with hypertrophic cardiomyopathy (Nishihara et al). 2000;13:801-8
Usefulness of echocardiography and Doppler echocardiography in endomyocardial fibrosis (Berensztein et al). 2000;13:385-92
Value of the Doppler index of myocardial performance in the early phase of acute myocardial infarction (Poulsen et al). 2000;13:723-30

Echocardiography, fetal

Significant beat-to-beat hemodynamic changes in fetal circulation: a consequence of abrupt intrathoracic pressure variation induced by hiccup (Levi et al). 2000;13:295-9

Echocardiography, intracardiac

Intracardiac echocardiography: newest technology (Bruce et al). 2000;13:788-95 (Review article)

Echocardiography, intraoperative

Intraoperative myocardial ischemia recognized by transesophageal echocardiography monitoring in the pediatric population: a report of 3 cases (Balaguru et al). 2000;13:615-8 (Case rep.)
The role of intraoperative transesophageal echocardiography in patients undergoing cardiac mass removal (Dujardin et al). 2000;13:1080-3

Echocardiography, M-mode

High-frame-rate tissue harmonic imaging enhances anatomic M-

mode sections of the left ventricle in short-axis view (Palmes et al). 2000;13:738-47

Preload dependence of color M-mode Doppler flow propagation velocity in controls and in patients with left ventricular dysfunction (Møller et al). 2000;13:902-9

Usefulness of early diastolic flow propagation velocity measured by color M-mode Doppler technique for the assessment of left ventricular diastolic function in patients with hypertrophic cardiomyopathy (Nishihara et al). 2000; 13:801-8

Echocardiography, stress

Acute cardiac rupture during dobutamine-atropine echocardiography stress test (Orlandini et al). 2000;13:152-3 (Case rep.)

Acute infarction of a previously stented coronary artery precipitated by dobutamine stress echocardiography (Pressman). 2000;13:150-1 (Case rep.)

Atrioventricular plane motion during dubutamine-atropine stress echocardiography: the biphasic response in healthy subjects revisited (Carstensen et al). 2000;13:885-90

Cardiac rupture during exercise stress echocardiography: a case report (João et al). 2000;13:785-7 (Case rep.)

Detection of residual tissue viability within the infarct zone in patients with acute myocardial infarction: ultrasonic integrated backscatter analysis versus dobutamine stress echocardiography (Castaldo et al). 2000;13:358-67

Dobutamine stress echocardiography and exercise electrocardiography for risk stratification in medically treated unstable angina (Sitges et al). 2000;13:1084-90

Does second harmonic imaging improve left ventricular endocardial border identification at higher heart rates during dobutamine stress echocardiography? (Sozzi et al). 2000;13:1019-24

Evaluation of regional wall motion and quantitative measures of ventricular function during dobutamine stress echocardiography in pediatric cardiac transplantation patients (Donofrio et al). 2000;13:932-40

Is the technically limited echocardiographic study an endangered species? Endocardial border definition with native tissue harmonic imaging and Optison contrast: a review of 200 cases (Malhotra et al). 2000;13:771-3

Use of peak systolic strain as an index of regional left ventricular function: comparison with tissue Doppler velocity during dobutamine stress and myocardial ischemia (Armstrong et al). 2000;13:731-7

Echocardiography, three-dimensional

Analysis of shape and motion of the mitral annulus in subjects with and without cardiomyopathy by echocardiographic 3-dimensional reconstruction (Flachskampf et al). 2000; 13:277-87

Comparison of ventricular volume and mass measurements from B-and C-scan images with the use of real-time 3-dimensional echocardiography: studies in an in vitro model (Rusk et al). 2000;13:910-7

A digital 3-dimensional method for computing great artery flows: in vitro validation studies (Irvine et al). 2000;13:841-8

A new quantitative method for the diagnosis of right ventricular hypertensive disorders in 3 dimensions (Marcus et al). 2000;13:186-93

Optimal rotational interval for 3-dimensional echocardiography data acquisition for rapid and accurate measurement of left ventricular function (Nosir et al). 2000;13:715-22

Quantitative 3-dimensional contrast echocardiographic determination of myocardial mass at risk and residual infarct mass after reperfusion: experimental canine studies with intravenous contrast agent NC100100 (Yao et al). 2000;13:570-81

Real-time 3-dimensional echocardiography evaluation of congenital heart disease (Balestrini et al). 2000;13:171-6

Reconstruction of 3-dimensional right ventricular shape and volume from 3 orthogonal planes (Munoz et al). 2000;13:177-85

Superiority of 3-dimensional versus 2-dimensional echocardiography for left ventricular volume assessment in small piglet hearts (Abdullah et al). 2000;13:918-23

Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach (Alabdulkarim et al). 2000;13:924-31

Transesophageal 3-dimensional echocardiography: in vivo determination of left ventricular mass in comparison with magnetic resonance imaging (Kühl et al). 2000;13:205-15

Echocardiography, transesophageal

The advantages of on-line transesophageal echocardiography guide during percutaneous balloon mitral valvuloplasty (Park et al). 2000;13:26-34

Aortic dissection with fistula to left atrium: diagnosis by transesophageal echocardiography with successful repair (Caruso et al). 2000;13:69-72 (Case rep.)

The echocardiographic diagnosis, characterization, and extraction guidance of cardiac foreign bodies (Fry et al). 2000;13:232-9 (Case rep.)

Entrapment of subvalvular mitral tissue causing intermittent failure of a St Jude mitral prosthesis (Agostini et al). 2000;13:1121-3 (Case rep.)

Fragmentation of a right atrial myxoma presenting as a pulmonary embolism (Idir et al). 2000;13:61-3 (Case rep.)

Intra-aortic balloon pump associated with dynamic left ventricular outflow tract obstruction after valve replacement for aortic stenosis (Morewood and Weiss). 2000;13:229-31 (Case rep.)

Intraoperative myocardial ischemia recognized by transesophageal echocardiography monitoring in the pediatric population: a report of 3 cases (Balaguru et al). 2000;13:615-8 (Case rep.)

Localized aortic dissection: unusual features by transesophageal echocardiography (Darbar et al). 2000;13:1130-4 (Case rep.)

Löffler's syndrome: pulmonary vein and transmitral Doppler flow analysis by transesophageal echocardiography—report of a case (Garcia-Pascual et al). 2000;13:690-2 (Case rep.)

Migration of a transjugular intrahepatic portosystemic shunt (TIPS) stent: evaluation by transesophageal echocardiography (Ward and Spencer). 2000;13:949-50 (Brief comm.)

Right ventricular outflow tract obstruction in an older woman: facilitated diagnosis with transesophageal echocardiography-guided biopsy (Beaver et al). 2000;13:622-5 (Case rep.)

The role of intraoperative transesophageal echocardiography in patients undergoing cardiac mass removal (Dujardin et al). 2000;13:1080-3

Substernal epicardial echocardiography: a new ultrasonic window to the postoperative heart (Hanlon et al). 2000;13:35-8

Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach (Alabdulkarim et al). 2000; 13:924-31

Transesophageal echocardiography assessment of left atrial appendage function in untreated systemic hypertensive patients in sinus rhythm (Bilge et al). 2000;13:271-6

Transesophageal echocardiography assessment of severe ostial left main coronary stenosis (Firstenberg et al). 2000;13:696-8 (Case rep.)

Transesophageal echocardiography detection of an esophageal sarcoma mimicking aortic dissection (Lerakis et al). 2000;13:619-21 (Case rep.)

Transesophageal 3-dimensional echocardiography: in vivo deter-

mination of left ventricular mass in comparison with magnetic resonance imaging (Kühl et al). 2000;13:205-15
Unsuspected embolic fungal endocarditis of an aortic conduit diagnosed by transesophageal echocardiography (Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
An unusual case of acquired ventricular septal defect as a complication of aortic valve endocarditis: echocardiographic delineation of multiple subvalvular complications in one patient (Ashmeik and Pai). 2000;13:693-5 (Case rep.)
The value of repeat transesophageal echocardiography in the evaluation of embolism from the aorta (Schwartzbard et al). 2000;13:1124-6 (Case rep.)
The vegetation that was not a vegetation: excusable misinterpretation of transesophageal echocardiography findings in late infective endocarditis of a prosthetic mitral valve (Ionescu and Butchart). 2000;13:322-4 (Case rep.)

Echocardiography, transthoracic

Apical hypertrophic cardiomyopathy: echocardiographic diagnosis with the use of intravenous contrast image enhancement (Thanigaraj and Pérez). 2000;13:146-9 (Case rep.)
Assessment of coronary flow reserve with transthoracic Doppler echocardiography: comparison among adenosine, standard-dose dipyridamole, and high-dose dipyridamole (Lim et al). 2000;13:264-70
Cyclic variation of integrated backscatter: dependence of time delay on the echocardiographic view used and the myocardial segment analyzed (Finch-Johnston et al). 2000;13:9-17
The echocardiographic diagnosis, characterization, and extraction guidance of cardiac foreign bodies (Fry et al). 2000;13:232-9 (Case rep.)
Echocardiographic prediction of left-to-right shunt with atrial septal defects (Johnson et al). 2000;13:1038-42
Enhanced detection of left atrial spontaneous echo contrast by transthoracic harmonic imaging in mitral stenosis (Ha et al). 2000;13:849-54
Fragmentation of a right atrial myxoma presenting as a pulmonary embolism (Idir et al). 2000;13:61-3 (Case rep.)
Harmonic imaging with Levovist for transthoracic echocardiographic reconstruction of left ventricle in patients with postischemic left ventricular dysfunction and suboptimal acoustic windows (De Castro et al). 2000;13:139-45
Intracardiac thrombus in antiphospholipid antibody syndrome (Aguilar and Summerson). 2000;13:873-5 (Case rep.)
Main coronary artery and coronary ostial stenosis in children: detection by transthoracic color flow and pulsed Doppler echocardiography (Jureidini et al). 2000;13:255-63
Myxoma on anterior mitral leaflet presenting with symptoms of cerebellar artery infarction (Özer et al). 2000;13:626-8 (Case rep.)
Obstruction of left ventricular outflow tract by vegetation and periaortic abscess (Basmadjian et al). 2000;13:869-72 (Case rep.)
Transthoracic echocardiographic demonstration of massive pulmonary thrombus caused by protein C deficiency (Jeon et al). 2000;13:682-4 (Case rep.)
Value of transthoracic echocardiography for the detection of high-grade coronary artery stenosis: prospective evaluation in 50 consecutive patients scheduled for coronary angiography (Krzanowski et al). 2000;13:1091-9

Echocardiography, two-dimensional

Acute regional myocardial ischemia identified by 2-dimensional multiregion Doppler tissue imaging technique (Edvardsen et al). 2000;13:986-94
Apical hypertrophic cardiomyopathy: echocardiographic diagnosis with the use of intravenous contrast image enhancement (Thanigaraj and Pérez). 2000;13:146-9 (Case rep.)
Assessment of regional longitudinal myocardial strain rate derived from Doppler myocardial imaging indexes in normal and infarcted myocardium (Voigt et al). 2000;13:588-98
Congestive heart failure and the role of two-dimensional Doppler echocardiography: a primer for cardiac sonographers (Waggoner). 2000;13:157-63 (Cardiac sonog. comm.)
Isolated noncompaction of the myocardium: multiplane transesophageal echocardiography diagnosis in an adult man (Maltagliati and Pepi). 2000;13:1047-9 (Case rep.)
Noninvasive assessment and necropsy validation of changes in left ventricular mass in ascending aortic banded mice (Fard et al). 2000;13:582-7
Ordering an echocardiogram for evaluation of left ventricular function: level of expertise necessary for efficient use (Weiss et al). 2000;13:124-30
Significance of resting wall motion abnormalities in 2-dimensional echocardiography in patients without previous myocardial infarction referred for pharmacologic stress testing (Elhendy et al). 2000;13:1-8
Superiority of 3-dimensional versus 2-dimensional echocardiography for left ventricular volume assessment in small piglet hearts (Abdullah et al). 2000;13:918-23

Echocardiography, utilization

Aberrant origin of the left coronary artery from the right aortic sinus: surgical intervention based on echocardiographic diagnosis (Jureidini et al). 2000;13:1117-20 (Case rep.)
Clinical utility of echocardiography in the management of implantable ventricular assist devices (Scalia et al). 2000;13:754-63
Echocardiographic assessment of stentless aortic bioprosthetic valves (Bach). 2000;13:941-8
Echocardiographic characterization of a rare type of coronary artery fistula draining into superior vena cava (Ashmeik et al). 2000;13:407-11 (Case rep.)
Echocardiographic demonstration of rupture of intraseptal hydatid cyst (Charet et al). 2000;13:955-8 (Case rep.)
The echocardiographic diagnosis, characterization, and extraction guidance of cardiac foreign bodies (Fry et al). 2000;13:232-9 (Case rep.)
Echocardiographic features of genetic diseases: part 1. Cardiomyopathy (Alizad and Seward). 2000;13:73-86 (Special rep.)
Echocardiographic features of genetic diseases: part 2. Storage disease (Alizad and Seward). 2000;13:164-70 (Special rep.)
Echocardiographic features of genetic diseases: part 3. Shunts (Alizad and Seward). 2000;13:248-53 (Special rep.)
Echocardiographic features of genetic diseases: part 4. Connective tissue (Alizad and Seward). 2000;13:325-30 (Special rep.)
Echocardiographic features of genetic diseases: part 5. Tumors (Alizad and Seward). 2000;13:421-6 (Special rep.)
Echocardiographic features of genetic diseases: part 6. Complex cardiovascular defects (Alizad and Seward). 2000;13:637-43 (Special rep.)
Echocardiographic features of genetic diseases: part 7. Complex genetic disorders (Alizad and Seward). 2000;13:707-14 (Special rep.)
Echocardiographic features of genetic diseases: part 8. Organ system (Alizad and Seward). 2000;13:796-800
Echocardiographic prediction of left-to-right shunt with atrial septal defects (Johnson et al). 2000;13:1038-42
Echocardiography in nonbacterial thrombotic endocarditis:

from autopsy to clinical entity (Reisner et al). 2000;13:876-81 (Review article)
Indications for limited echocardiographic imaging: a mathematical model (Kimura and DeMaria). 2000;13:855-61
A new framework for echocardiographic assessment of left ventricular mechanics: sensitivity to heart failure (Denslow et al). 2000;13:969-79
Targeting percutaneous transluminal septal ablation for HOCM by intra-procedural echocardiographic monitoring (Faber et al). 2000;13:1074-9
Usefulness of echocardiography and Doppler echocardiography in endomyocardial fibrosis (Berensztein et al). 2000;13:385-92

Editorial
Editorial. 2000;13:968

Edwards' syndrome
Echocardiographic features of genetic diseases: part 7. Complex genetic disorders (Alizad and Seward). 2000;13:707-14 (Special rep.)

Efficiency
Ordering an echocardiogram for evaluation of left ventricular function: level of expertise necessary for efficient use (Weiss et al). 2000;13:124-30

Ehlers-Danlos syndrome
Echocardiographic features of genetic diseases: part 4. Connective tissue (Alizad and Seward). 2000;13:325-30 (Special rep.)

Ejection fraction
Contrast harmonic color Doppler left ventriculography: machine-interpreted left ventricular ejection fraction compared with equilibrium-gated radionuclide ventriculography (Schwarz et al). 2000;13:368-78
Estimation of the ejection fraction in patients with myocardial infarction obtained from the combined index of systolic and diastolic left ventricular function: a new method (Lax et al). 2000;13:116-23
Feasibility and accuracy of left ventricular volumes and ejection fraction determination by fundamental, tissue harmonic, and intravenous contrast imaging in difficult-to-image patients (Yu et al). 2000;13:216-24
Noninvasive assessment of left ventricular systolic function by stress-shortening relation, rate of change of power, preload-adjusted maximal power, and ejection force in idiopathic dilated cardiomyopathy: prognostic implications (Avramides et al). 2000;13:87-95
Optimal rotational interval for 3-dimensional echocardiography data acquisition for rapid and accurate measurement of left ventricular function (Nosir et al). 2000;13:715-22
The relation between mitral annulus motion and ejection fraction: a nonlinear function (Emilsson et al). 2000;13:896-901
Validity and reproducibility of echocardiographic measurement of left ventricular ejection fraction by acoustic quantification with tissue harmonic imaging technique (Tsujita-Kuroda et al). 2000;13:300-5

Electrocardiography
Dobutamine stress echocardiography and exercise electrocardiography for risk stratification in medically treated unstable angina (Sitges et al). 2000;13:1084-90

Embolism
A case of left atrial appendage thrombus with embolic stroke in association with aortic stenosis in sinus rhythm (Bilge et al). 2000;13:1127-9 (Case rep.)
Unsuspected embolic fungal endocarditis of an aortic conduit diagnosed by transesophageal echocardiography (Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
The value of repeat transesophageal echocardiography in the evaluation of emboiism from the aorta (Schwartzbard et al). 2000;13:1124-6 (Case rep.)

Endocarditis
Aneurysm of the anterior leaflet of the mitral valve secondary to aortic valve endocarditis (Marcos-Alberca et al). 2000;13:1050-? (Case rep.)
Echocardiography in nonbacterial thrombotic endocarditis: from autopsy to clinical entity (Reisner et al). 2000;13:876-81 (Review article)
Persistent hypoxemia occurring as a complication of tricuspid valve endocarditis (Turek et al). 2000;13:412-4 (Case rep.)
Tricuspid stenosis: a rare complication of pacemaker-related endocarditis (Hagers et al). 2000;13:66-8 (Case rep.)
Unsuspected embolic fungal endocarditis of an aortic conduit diagnosed by transesophageal echocardiography (Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
An unusual case of acquired ventricular septal defect as a complication of aortic valve endocarditis: echocardiographic delineation of multiple subvalvular complications in one patient (Ashmeik and Pai). 2000;13:693-5 (Case rep.)

Endocarditis, bacterial
The vegetation that was not a vegetation: excusable misinterpretation of transesophageal echocardiography findings in late infective endocarditis of a prosthetic mitral valve (Ionescu and Butchart). 2000;13:322-4 (Case rep.)

Endocardium
Does second harmonic imaging improve left ventricular endocardial border identification at higher heart rates during dobutamine stress echocardiography? (Sozzi et al). 2000;13:1019-24
Is the technically limited echocardiographic study an endangered species? Endocardial border definition with native tissue harmonic imaging and Optison contrast: a review of 200 cases (Malhotra et al). 2000;13:771-3
Qualitative and quantitative effects of harmonic echocardiographic imaging on endocardial edge definition and sidelobe artifacts (Rubin et al). 2000;13:1012-8
The role of echocardiographic harmonic imaging and contrast enhancement for improvement of endocardial border delineation (Spencer et al). 2000;13:131-8

Endomyocardial fibrosis; *see* Fibrosis

Equipment and supplies
Personal ultrasound imager: abdominal aortic aneurysm screening (Bruce et al). 2000;13:674-9

Esophageal neoplasms
Transesophageal echocardiography detection of an esophageal sarcoma mimicking aortic dissection (Lerakis et al). 2000;13:619-21 (Case rep.)

Eustachian valve
Unusual eustachian valve function (Saric et al). 2000;13:316-8 (Case rep.)

Exercise test
Acute cardiac rupture during dobutamine-atropine echocardiography stress test (Orlandini et al). 2000;13:152-3 (Case rep.)
Cardiac rupture during exercise stress echocardiography: a case report (João et al). 2000;13:785-7 (Case rep.)
Significance of resting wall motion abnormalities in 2-dimensional echocardiography in patients without previous myocardial infarction referred for pharmacologic stress testing (Elhendy et al). 2000;13:1-8

F

Fabry's disease
Echocardiographic features of genetic diseases: part 2. Storage disease (Alizad and Seward). 2000;13:164-70 (Special rep.)

Fetal blood
Significant beat-to-beat hemodynamic changes in fetal circulation: a consequence of abrupt intrathoracic pressure variation induced by hiccup (Levi et al). 2000;13:295-9
Fibrosis
Usefulness of echocardiography and Doppler echocardiography in endomyocardial fibrosis (Berensztein et al). 2000;13:385-92
Fistula
Aortic dissection with fistula to left atrium: diagnosis by transesophageal echocardiography with successful repair (Caruso et al). 2000;13:69-72 (Case rep.)
Diagnosis of a left coronary artery to right ventricular fistula with progression to spontaneous closure (Cotton). 2000;13:225-8 (Case rep.)
Echocardiographic characterization of a rare type of coronary artery fistula draining into superior vena cava (Ashmeik et al). 2000;13:407-11 (Case rep.)
Flow velocity; *see* Blood flow velocity
Fluorocarbons
Optimization of the size distribution and myocardial contrast effect of perfluorocarbon-filled albumin microbubbles by lyophilization under continuous negative pressure (Chen et al). 2000;13:748-53
Ultrasound-enhanced thrombolysis at 20 kHz with air-filled and perfluorocarbon-filled contrast bispheres (Dhond et al). 2000;13:1025-9
Foreign bodies
The echocardiographic diagnosis, characterization, and extraction guidance of cardiac foreign bodies (Fry et al). 2000;13:232-9 (Case rep.)
Freeze drying
Optimization of the size distribution and myocardial contrast effect of perfluorocarbon-filled albumin microbubbles by lyophilization under continuous negative pressure (Chen et al). 2000;13:748-53
Fungal diseases; *see* Mycoses

G

Gaucher's disease
Echocardiographic features of genetic diseases: part 2. Storage disease (Alizad and Seward). 2000;13:164-70 (Special rep.)
Genetic diseases; *see* Hereditary diseases
Glycogen storage disease
Echocardiographic features of genetic diseases: part 2. Storage disease (Alizad and Seward). 2000;13:164-70 (Special rep.)
Goldenhar syndrome
Echocardiographic features of genetic diseases: part 7. Complex genetic disorders (Alizad and Seward). 2000;13:707-14 (Special rep.)

H

Harmonic imaging, intermittent; *see* Intermittent harmonic imaging
Heart-assist devices
Clinical utility of echocardiography in the management of implantable ventricular assist devices (Scalia et al). 2000; 13:754-63
Heart atrium
Aortic dissection with fistula to left atrium: diagnosis by transesophageal echocardiography with successful repair (Caruso et al). 2000;13:69-72 (Case rep.)
A case of arrhythmogenic right ventricular cardiomyopathy in sinus rhythm associated with thrombus in the right atrium (Bilge et al). 2000;13:154-6 (Case rep.)
Enhanced detection of left atrial spontaneous echo contrast by transthoracic harmonic imaging in mitral stenosis (Ha et al). 2000;13:849-54
Late-diastolic forward flow in the aorta induced by left atrial contraction (Ewert et al). 2000;13:866-8 (Case rep.)
Heart defects, congenital
Real-time 3-dimensional echocardiography evaluation of congenital heart disease (Balestrini et al). 2000;13:171-6
Heart failure, congestive
Congestive heart failure and the role of two-dimensional Doppler echocardiography: a primer for cardiac sonographers (Waggoner). 2000;13:157-63 (Cardiac sonog. comm.)
A new framework for echocardiographic assessment of left ventricular mechanics: sensitivity to heart failure (Denslow et al). 2000;13:969-79
Heart injuries
Regional patterns of left ventricular systolic dysfunction after subarachnoid hemorrhage: evidence for neurally mediated cardiac injury (Zaroff et al). 2000;13:774-9
Heart neoplasms
Fragmentation of a right atrial myxoma presenting as a pulmonary embolism (Idir et al). 2000;13:61-3 (Case rep.)
Metastatic pancreatic adenocarcinoma to the heart diagnosed antemortem (Bowman et al). 2000;13:415-6 (Case rep.)
The role of intraoperative transesophageal echocardiography in patients undergoing cardiac mass removal (Dujardin et al). 2000;13:1080-3
Heart rate
The influence of heart rate on the Doppler-derived myocardial performance index (Poulsen et al). 2000;13:379-84
Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate (Mori et al). 2000;13:1002-11
Heart rupture
Acute cardiac rupture during dobutamine-atropine echocardiography stress test (Orlandini et al). 2000;13:152-3 (Case rep.)
Cardiac rupture during exercise stress echocardiography: a case report (João et al). 2000;13:785-7 (Case rep.)
Diagnosis of cardiac rupture with the use of contrast-enhanced echocardiography (Thanigaraj and Pérez). 2000;13:862-5 (Brief comm.)
Fatal cardiac rupture: a case of subepicardial aneurysm after myocardial infarction (Tanabe et al). 2000;13:951-2 (Case rep.)
Heart septal defects, atrial
Echocardiographic features of genetic diseases: part 3. Shunts (Alizad and Seward). 2000;13:248-53 (Special rep.)
Echocardiographic prediction of left-to-right shunt with atrial septal defects (Johnson et al). 2000;13:1038-42
Heart septal defects, ventricular
Membranous subpulmonic stenosis associated with ventricular septal defect and aortic insufficiency (Raff et al). 2000;13:58-60 (Case rep.)
An unusual case of acquired ventricular septal defect as a complication of aortic valve endocarditis: echocardiographic delineation of multiple subvalvular complications in one patient (Ashmeik and Pai). 2000;13:693-5 (Case rep.)
Heart septum
Tricuspid insufficiency and interatrial septum rupture: a cause of persistent systemic hypoxemia after blunt chest trauma (Pereira et al). 2000;13:64-5 (Case rep.)
Heart transplantation
Evaluation of regional wall motion and quantitative measures of ventricular function during dobutamine stress echocardiography in pediatric cardiac transplantation patients (Donofrio et al). 2000;13:932-40

Heart valve prosthesis
Aortic prosthetic valve design and size: relation to Doppler echocardiographic findings and pressure recovery—an in vitro study (Bech-Hanssen et al). 2000;13:39-50
Disk embolization of a Björk-Shiley convexo-concave mitral valve: a cause of sudden cardiovascular collapse and mesenteric ischemia (Novaro et al). 2000;13:417-20 (Case rep.)
Entrapment of subvalvular mitral tissue causing intermittent failure of a St Jude mitral prosthesis (Agostini et al). 2000;13:1121-3 (Case rep.)
Intermittent electromechanical dissociation as an unusual sign of prosthetic valve thrombosis in a patient with prosthetic fibrous ingrowth (Delgado et al). 2000;13:685-9 (Case rep.)
An unusual case of acquired ventricular septal defect as a complication of aortic valve endocarditis: echocardiographic delineation of multiple subvalvular complications in one patient (Ashmeik and Pai). 2000;13:693-5 (Case rep.)
The vegetation that was not a vegetation: excusable misinterpretation of transesophageal echocardiography findings in late infective endocarditis of a prosthetic mitral valve (Ionescu and Butchart). 2000;13:322-4 (Case rep.)
Heart ventricle
Diagnosis of a left coronary artery to right ventricular fistula with progression to spontaneous closure (Cotton). 2000;13:225-8 (Case rep.)
High-frame-rate tissue harmonic imaging enhances anatomic M-mode sections of the left ventricle in short-axis view (Palmes et al). 2000;13:738-47
Localization of the ventricular preexcitation site in Wolff-Parkinson-White syndrome with Doppler tissue imaging (Eder et al). 2000;13:995-1001
Long-axis contraction of the ventricles: a modern approach, but described already by Leonardo da Vinci (Wandt). 2000; 13:699-706 (Historical review)
Noninvasive assessment and necropsy validation of changes in left ventricular mass in ascending aortic banded mice (Fard et al). 2000;13:582-7
Hematoma
Aortic intramural hematoma during coronary angioplasty: insights into the pathogenesis of intramedial hemorrhage (Vilacosta et al). 2000;13:403-6 (Case rep.)
Hemochromatosis
Echocardiographic features of genetic diseases: part 2. Storage disease (Alizad and Seward). 2000;13:164-70 (Special rep.)
Hemodynamics
Significant beat-to-beat hemodynamic changes in fetal circulation: a consequence of abrupt intrathoracic pressure variation induced by hiccup (Levi et al). 2000;13:295-9
Hemorrhage
Aortic intramural hematoma during coronary angioplasty: insights into the pathogenesis of intramedial hemorrhage (Vilacosta et al). 2000;13:403-6 (Case rep.)
Regional patterns of left ventricular systolic dysfunction after subarachnoid hemorrhage: evidence for neurally mediated cardiac injury (Zaroff et al). 2000;13:774-9
Hereditary diseases
Echocardiographic features of genetic diseases: part 1. Cardiomyopathy (Alizad and Seward). 2000;13:73-86 (Special rep.)
Echocardiographic features of genetic diseases: part 2. Storage disease (Alizad and Seward). 2000;13:164-70 (Special rep.)
Echocardiographic features of genetic diseases: part 3. Shunts (Alizad and Seward). 2000;13:248-53 (Special rep.)
Echocardiographic features of genetic diseases: part 4. Connective tissue (Alizad and Seward). 2000;13:325-30 (Special rep.)
Echocardiographic features of genetic diseases: part 5. Tumors (Alizad and Seward). 2000;13:421-6 (Special rep.)
Echocardiographic features of genetic diseases: part 6. Complex cardiovascular defects (Alizad and Seward). 2000;13:637-43 (Special rep.)
Echocardiographic features of genetic diseases: part 7. Complex genetic disorders (Alizad and Seward). 2000;13:707-14 (Special rep.)
Echocardiographic features of genetic diseases: part 8. Organ system (Alizad and Seward). 2000;13:796-800
Hiccup
Significant beat-to-beat hemodynamic changes in fetal circulation: a consequence of abrupt intrathoracic pressure variation induced by hiccup (Levi et al). 2000;13:295-9
Historical review
Historical review. 2000;13:699-706
HOCM; *see* Cardiomyopathy, hypertrophic
Holt-Oram syndrome
Echocardiographic features of genetic diseases: part 3. Shunts (Alizad and Seward). 2000;13:248-53 (Special rep.)
Hydatid cyst; *see* Echinococcosis
Hyperlipidemia
Echocardiographic features of genetic diseases: part 2. Storage disease (Alizad and Seward). 2000;13:164-70 (Special rep.)
Hypertension
A new quantitative method for the diagnosis of right ventricular hypertensive disorders in 3 dimensions (Marcus et al). 2000;13:186-93
Sublingual nitroglycerin delays arterial wave reflections despite increased aortic "stiffness" in patients with hypertension: a Doppler echocardiography study (Soma et al). 2000;13:1100-8
Transesophageal echocardiography assessment of left atrial appendage function in untreated systemic hypertensive patients in sinus rhythm (Bilge et al). 2000;13:271-6
Hypertrophic cardiomyopathy; *see* Cardiomyopathy, hypertrophic
Hypothyroidism
Ultrasonic myocardial textural analysis in subclinical hypothyroidism (Di Bello et al). 2000;13:832-40
Hypoxemia; *see* Anoxemia

I

Idiopathic dilated cardiomyopathy; *see* Cardiomyopathy, congestive
Imager; *see* Equipment and supplies
Implantable heart assist devices; *see* Heart-assist devices
Infant
Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach (Alabdulkarim et al). 2000; 13:924-31
Infarction, myocardial; *see* Myocardial infarction
Infective endocarditis; *see* Endocarditis, bacterial
Injections, intravenous
Apical hypertrophic cardiomyopathy: echocardiographic diagnosis with the use of intravenous contrast image enhancement (Thanigaraj and Pérez). 2000;13:146-9 (Case rep.)
Feasibility and accuracy of left ventricular volumes and ejection fraction determination by fundamental, tissue harmonic, and intravenous contrast imaging in difficult-to-image patients (Yu et al). 2000;13:216-24
Quantitative 3-dimensional contrast echocardiographic determination of myocardial mass at risk and residual infarct mass after reperfusion: experimental canine studies with intravenous contrast agent NC100100 (Yao et al). 2000;13:570-81

Intermittent harmonic imaging
Contrast harmonic color Doppler left ventriculography: machine-interpreted left ventricular ejection fraction compared with equilibrium-gated radionuclide ventriculography (Schwarz et al). 2000;13:368-78
Does second harmonic imaging improve left ventricular endocardial border identification at higher heart rates during dobutamine stress echocardiography? (Sozzi et al). 2000;13:1019-24
Enhanced detection of left atrial spontaneous echo contrast by transthoracic harmonic imaging in mitral stenosis (Ha et al). 2000;13:849-54
Feasibility and accuracy of left ventricular volumes and ejection fraction determination by fundamental, tissue harmonic, and intravenous contrast imaging in difficult-to-image patients (Yu et al). 2000;13:216-24
Harmonic imaging with Levovist for transthoracic echocardiographic reconstruction of left ventricle in patients with postischemic left ventricular dysfunction and suboptimal acoustic windows (De Castro et al). 2000;13:139-45
High-frame-rate tissue harmonic imaging enhances anatomic M-mode sections of the left ventricle in short-axis view (Palmes et al). 2000;13:738-47
Is the technically limited echocardiographic study an endangered species? Endocardial border definition with native tissue harmonic imaging and Optison contrast: a review of 200 cases (Malhotra et al). 2000;13:771-3
Myocardial longitudinal motion by tissue velocity imaging in the evaluation of patients with myocardial infarction (Palmes et al). 2000;13:818-26
Premature ventricular contractions during triggered imaging with ultrasound contrast (van der Wouw et al). 2000; 13:288-94
Qualitative and quantitative effects of harmonic echocardiographic imaging on endocardial edge definition and sidelobe artifacts (Rubin et al). 2000;13:1012-8
The role of echocardiographic harmonic imaging and contrast enhancement for improvement of endocardial border delineation (Spencer et al). 2000;13:131-8
Tissue harmonic imaging: a new method for predicting left ventricular thrombus? (Swinburn et al). 2000;13:680-1 (Case rep.)
Validity and reproducibility of echocardiographic measurement of left ventricular ejection fraction by acoustic quantification with tissue harmonic imaging technique (Tsujita-Kuroda et al). 2000;13:300-5
Intra-aortic balloon pumping
Intra-aortic balloon pump associated with dynamic left ventricular outflow tract obstruction after valve replacement for aortic stenosis (Morewood and Weiss). 2000;13:229-31 (Case rep.)
Intracardiac echocardiography; *see* Echocardiography, intracardiac
Intraoperative echocardiography; *see* Echocardiography, intraoperative
Intravascular ultrasonography
see Ultrasonography, intravascular
Ischemia
Disk embolization of a Björk-Shiley convexo-concave mitral valve: a cause of sudden cardiovascular collapse and mesenteric ischemia (Novaro et al). 2000;13:417-20 (Case rep.)

J

Journal of the American Society of Echocardiography
Manuscript reviewers: the backbone of a peer-reviewed journal (Feigenbaum). 2000;13:968 (Editorial)

K

Kartagener's syndrome
Echocardiographic features of genetic diseases: part 8. Organ system (Alizad and Seward). 2000;13:796-800
Kidney, polycystic
Echocardiographic features of genetic diseases: part 8. Organ system (Alizad and Seward). 2000;13:796-800

L

Left atrial function; *see* Atrial function, left
Left atrium; *see* Heart atrium
Left coronary artery disease; *see* Coronary disease
Left ventricular function; *see* Ventricular function, left
Letters
Letters. 2000;13:254, 644, 882-4
Levovist; *see* Contrast agents
Ligands
In vivo molecular imaging of stretch-induced tissue factor in carotid arteries with ligand-targeted nanoparticles (Lanza et al). 2000;13:608-14
Liver diseases
Migration of a transjugular intrahepatic portosystemic shunt (TIPS) stent: evaluation by transesophageal echocardiography (Ward and Spencer). 2000;13:949-50 (Brief comm.)
Löffler's syndrome
Löffler's syndrome: pulmonary vein and transmitral Doppler flow analysis by transesophageal echocardiography—report of a case (García-Pascual et al). 2000;13:690-2 (Case rep.)
Lung
Intracavitary contrast intensity after transpulmonary transmission of a second-generation contrast agent at normal and reduced myocardial contractility (Greim et al). 2000;13:1030-7
Lyophilization; *see* Freeze drying

M

M-mode echocardiography; *see* Echocardiography, M-mode
Magnetic resonance imaging
Transesophageal 3-dimensional echocardiography: in vivo determination of left ventricular mass in comparison with magnetic resonance imaging (Kühl et al). 2000;13:205-15
Manuscripts, medical
Manuscript reviewers: the backbone of a peer-reviewed journal (Feigenbaum). 2000;13:968 (Editorial)
Marfan syndrome
Echocardiographic features of genetic diseases: part 4. Connective tissue (Alizad and Seward). 2000;13:325-30 (Special rep.)
Mechanical ventilation; *see* Respiration, artificial
Membranous subpulmonic stenosis; *see* Pulmonary valve stenosis
Men
Isolated noncompaction of the myocardium: multiplane transesophageal echocardiography diagnosis in an adult man (Maltagliati and Pepi). 2000;13:1047-9 (Case rep.)
Mesenteric arteries
Disk embolization of a Björk-Shiley convexo-concave mitral valve: a cause of sudden cardiovascular collapse and mesenteric ischemia (Novaro et al). 2000;13:417-20 (Case rep.)
Metastasis; *see* Neoplasm metastasis
Microbubbles
Optimization of the size distribution and myocardial contrast effect of perfluorocarbon-filled albumin microbubbles by lyophilization under continuous negative pressure (Chen et al). 2000;13:748-53

Mitral valve
Analysis of shape and motion of the mitral annulus in subjects with and without cardiomyopathy by echocardiographic 3-dimensional reconstruction (Flachskampf et al). 2000;13:277-87
Aneurysm of the anterior leaflet of the mitral valve secondary to aortic valve endocarditis (Marcos-Alberca et al). 2000; 13:1050-2 (Case rep.)
Differentiation between reversible and irreversible restrictive left ventricular filling patterns with the use of mitral annulus velocity (Sohn et al). 2000;13:891-5
Disk embolization of a Björk-Shiley convexo-concave mitral valve: a cause of sudden cardiovascular collapse and mesenteric ischemia (Novaro et al). 2000;13:417-20 (Case rep.)
Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave Doppler tissue imaging (Alam et al). 2000;13:343-52
Entrapment of subvalvular mitral tissue causing intermittent failure of a St Jude mitral prosthesis (Agostini et al). 2000;13:1121-3 (Case rep.)
Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow (Brunner-La Rocca et al). 2000;13:599-607
Löffler's syndrome: pulmonary vein and transmitral Doppler flow analysis by transesophageal echocardiography—report of a case (García-Pascual et al). 2000;13:690-2 (Case rep.)
Mitral annulus velocity in the estimation of left ventricular filling pressure: prospective study in 200 patients (Kim and Sohn). 2000;13:980-5
Myxoma on anterior mitral leaflet presenting with symptoms of cerebellar artery infarction (Özer et al). 2000;13:626-8 (Case rep.)
The relation between mitral annulus motion and ejection fraction: a nonlinear function (Emilsson et al). 2000;13:896-901
Transformation of mitral valve prolapse to dynamic left ventricular outflow tract obstruction and back again in a patient with acute transient myocardial depression (Fisher et al). 2000;13:319-21 (Case rep.)
The vegetation that was not a vegetation: excusable misinterpretation of transesophageal echocardiography findings in late infective endocarditis of a prosthetic mitral valve (Ionescu and Butchart). 2000;13:322-4 (Case rep.)
Mitral valve stenosis
The advantages of on-line transesophageal echocardiography guide during percutaneous balloon mitral valvuloplasty (Park et al). 2000;13:26-34
Enhanced detection of left atrial spontaneous echo contrast by transthoracic harmonic imaging in mitral stenosis (Ha et al). 2000;13:849-54
Models, theoretical
Indications for limited echocardiographic imaging: a mathematical model (Kimura and DeMaria). 2000;13:855-61
Molecular imaging
In vivo molecular imaging of stretch-induced tissue factor in carotid arteries with ligand-targeted nanoparticles (Lanza et al). 2000;13:608-14
Motion, wall; ***see*** **Wall motion**
Mucopolysaccharidosis IV
Echocardiographic features of genetic diseases: part 4. Connective tissue (Alizad and Seward). 2000;13:325-30 (Special rep.)
Multiplane echocardiography; ***see*** **Echocardiography, two-dimensional**
Mycoses
Unsuspected embolic fungal endocarditis of an aortic conduit diagnosed by transesophageal echocardiography (Bustamante-Labarta et al). 2000;13:953-4 (Case rep.)
Myocardial contraction
Intracavitary contrast intensity after transpulmonary transmission of a second-generation contrast agent at normal and reduced myocardial contractility (Greim et al). 2000;13:1030-7
Late-diastolic forward flow in the aorta induced by left atrial contraction (Ewert et al). 2000;13:866-8 (Case rep.)
Long-axis contraction of the ventricles: a modern approach, but described already by Leonardo da Vinci (Wandt). 2000; 13:699-706 (Historical review)
Premature ventricular contractions during triggered imaging with ultrasound contrast (van der Wouw et al). 2000;13:288-94
Myocardial diseases
Analysis of shape and motion of the mitral annulus in subjects with and without cardiomyopathy by echocardiographic 3-dimensional reconstruction (Flachskampf et al). 2000;13:277-87
A case of arrhythmogenic right ventricular cardiomyopathy in sinus rhythm associated with thrombus in the right atrium (Bilge et al). 2000;13:154-6 (Case rep.)
Echocardiographic features of genetic diseases: part 1. Cardiomyopathy (Alizad and Seward). 2000;13:73-86 (Special rep.)
Transformation of mitral valve prolapse to dynamic left ventricular outflow tract obstruction and back again in a patient with acute transient myocardial depression (Fisher et al). 2000;13:319-21 (Case rep.)
Myocardial infarction
Acute infarction of a previously stented coronary artery precipitated by dobutamine stress echocardiography (Pressman). 2000;13:150-1 (Case rep.)
Assessment of regional longitudinal myocardial strain rate derived from Doppler myocardial imaging indexes in normal and infarcted myocardium (Voigt et al). 2000;13:588-98
Detection of residual tissue viability within the infarct zone in patients with acute myocardial infarction: ultrasonic integrated backscatter analysis versus dobutamine stress echocardiography (Castaldo et al). 2000;13:358-67
Effect of pre-reperfusion residual flow on recovery from myocardial stunning: a myocardial contrast echocardiography study (Lim et al). 2000;13:18-25
Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave Doppler tissue imaging (Alam et al). 2000;13:343-52
Estimation of the ejection fraction in patients with myocardial infarction obtained from the combined index of systolic and diastolic left ventricular function: a new method (Lax et al). 2000;13:116-23
Fatal cardiac rupture: a case of subepicardial aneurysm after myocardial infarction (Tanabe et al). 2000;13:951-2 (Case rep.)
Myocardial longitudinal motion by tissue velocity imaging in the evaluation of patients with myocardial infarction (Palmes et al). 2000;13:818-26
Myocardial perfusion and wall motion in infarction border zone: assessment by myocardial contrast echocardiography (Scherrer-Crosbie et al). 2000;13:353-7
Quantitative 3-dimensional contrast echocardiographic determination of myocardial mass at risk and residual infarct mass after reperfusion: experimental canine studies with intravenous contrast agent NC100100 (Yao et al). 2000;13:570-81
Right ventricular dysfunction after thrombolysis in patients with right ventricular infarction (Mattioli et al). 2000;13:655-60
Significance of resting wall motion abnormalities in 2-dimensional echocardiography in patients without previous

myocardial infarction referred for pharmacologic stress testing (Elhendy et al). 2000;13:1-8
Value of the Doppler index of myocardial performance in the early phase of acute myocardial infarction (Poulsen et al). 2000;13:723-30

Myocardial ischemia
Acute regional myocardial ischemia identified by 2-dimensional multiregion Doppler tissue imaging technique (Edvardsen et al). 2000;13:986-94
Are changes in myocardial integrated backscatter restricted to the ischemic zone in acute induced ischemia? An in vivo animal study (Bijnens et al). 2000;13:306-15
Harmonic imaging with Levovist for transthoracic echocardiographic reconstruction of left ventricle in patients with post-ischemic left ventricular dysfunction and suboptimal acoustic windows (De Castro et al). 2000;13:139-45
Intraoperative myocardial ischemia recognized by transesophageal echocardiography monitoring in the pediatric population: a report of 3 cases (Balaguru et al). 2000;13:615-8 (Case rep.)
Use of peak systolic strain as an index of regional left ventricular function: comparison with tissue Doppler velocity during dobutamine stress and myocardial ischemia (Armstrong et al). 2000;13:731-7

Myocardial perfusion
Myocardial perfusion and wall motion in infarction border zone: assessment by myocardial contrast echocardiography (Scherrer-Crosbie et al). 2000;13:353-7

Myocardial reperfusion
Effect of pre-reperfusion residual flow on recovery from myocardial stunning: a myocardial contrast echocardiography study (Lim et al). 2000;13:18-25
Quantitative 3-dimensional contrast echocardiographic determination of myocardial mass at risk and residual infarct mass after reperfusion: experimental canine studies with intravenous contrast agent NC100100 (Yao et al). 2000;13:570-81

Myocardium
Are changes in myocardial integrated backscatter restricted to the ischemic zone in acute induced ischemia? An in vivo animal study (Bijnens et al). 2000;13:306-15
Assessment of regional longitudinal myocardial strain rate derived from Doppler myocardial imaging indexes in normal and infarcted myocardium (Voigt et al). 2000;13:588-98
Cyclic variation of integrated backscatter: dependence of time delay on the echocardiographic view used and the myocardial segment analyzed (Finch-Johnston et al). 2000;13:9-17
The influence of heart rate on the Doppler-derived myocardial performance index (Poulsen et al). 2000;13:379-84
Isolated noncompaction of the myocardium: multiplane transesophageal echocardiography diagnosis in an adult man (Maltagliati and Pepi). 2000;13:1047-9 (Case rep.)
Mean myocardial velocity mapping in quantifying regional myocardial contractile reserve in patients with impaired left ventricular systolic function: Doppler myocardial imaging study (Palka et al). 2000;13:96-107
Optimization of the size distribution and myocardial contrast effect of perfluorocarbon-filled albumin microbubbles by lyophilization under continuous negative pressure (Chen et al). 2000;13:748-53
Ultrasonic myocardial textural analysis in subclinical hypothyroidism (Di Bello et al). 2000;13:832-40
Value of the Doppler index of myocardial performance in the early phase of acute myocardial infarction (Poulsen et al). 2000;13:723-30

Myxoma
Echocardiographic features of genetic diseases: part 5. Tumors (Alizad and Seward). 2000;13:421-6 (Special rep.)
Fragmentation of a right atrial myxoma presenting as a pulmonary embolism (Idir et al). 2000;13:61-3 (Case rep.)
Myxoma on anterior mitral leaflet presenting with symptoms of cerebellar artery infarction (Özer et al). 2000;13:626-8 (Case rep.)

N

Necropsy; *see* Autopsy

Neoplasm metastasis
Metastatic pancreatic adenocarcinoma to the heart diagnosed antemortem (Bowman et al). 2000;13:415-6 (Case rep.)

Neoplasms
Echocardiographic features of genetic diseases: part 5. Tumors (Alizad and Seward). 2000;13:421-6 (Special rep.)

Neurofibromatosis
Echocardiographic features of genetic diseases: part 5. Tumors (Alizad and Seward). 2000;13:421-6 (Special rep.)

Nitroglycerin
Sublingual nitroglycerin delays arterial wave reflections despite increased aortic "stiffness" in patients with hypertension: a Doppler echocardiography study (Soma et al). 2000;13:1100-8

Nonbacterial thrombotic endocarditis; *see* Endocarditis

O

Older woman; *see* Aged

Online systems
The advantages of on-line transesophageal echocardiography guide during percutaneous balloon mitral valvuloplasty (Park et al). 2000;13:26-34

Optison; *see* Contrast media

Organs
Echocardiographic features of genetic diseases: part 8. Organ system (Alizad and Seward). 2000;13:796-800

Osler-Weber-Rendu disease
Echocardiographic features of genetic diseases: part 3. Shunts (Alizad and Seward). 2000;13:248-53 (Special rep.)

P

Pacemaker, artificial
Tricuspid stenosis: a rare complication of pacemaker-related endocarditis (Hagers et al). 2000;13:66-8 (Case rep.)

Pancreatic neoplasms
Metastatic pancreatic adenocarcinoma to the heart diagnosed antemortem (Bowman et al). 2000;13:415-6 (Case rep.)

Patau's syndrome
Echocardiographic features of genetic diseases: part 7. Complex genetic disorders (Alizad and Seward). 2000;13:707-14 (Special rep.)

Patient care
Performing an echocardiographic examination with a contrast agent: a series on contrast echocardiography, article 2 (Burgess et al). 2000;13:629-36 (Cardiac sonog. comm.)

Peer review
Manuscript reviewers: the backbone of a peer-reviewed journal (Feigenbaum). 2000;13:968 (Editorial)

Perfluorocarbons; *see* Fluorocarbons

Pericarditis, constrictive
Reversal of the pattern of respiratory variation of Doppler inflow velocities in constrictive pericarditis during mechanical ventilation (Abdalla et al). 2000;13:827-31

Pericardium, abnormalities
Echocardiographic features of genetic diseases: part 8. Organ system (Alizad and Seward). 2000;13:796-800
Periodicals
Manuscript reviewers: the backbone of a peer-reviewed journal (Feigenbaum). 2000;13:968 (Editorial)
Persistent systemic hypoxemia; *see* Anoxemia
Pheochromocytoma
Echocardiographic features of genetic diseases: part 5. Tumors (Alizad and Seward). 2000;13:421-6 (Special rep.)
Physics
Ultrasound contrast physics: a series on contrast echocardiography, article 3 (McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Portosystemic shunt, surgical
Migration of a transjugular intrahepatic portosystemic shunt (TIPS) stent: evaluation by transesophageal echocardiography (Ward and Spencer). 2000;13:949-50 (Brief comm.)
Position paper
Position paper. 2000;13:331-42
Postoperative period
Substernal epicardial echocardiography: a new ultrasonic window to the postoperative heart (Hanlon et al). 2000; 13:35-8
Private practice
Transition to an all-digital echocardiography laboratory: a large, multi-site private cardiology practice experience (Ehler et al). 2000;13:1109-16
Prognosis
Noninvasive assessment of left ventricular systolic function by stress-shortening relation, rate of change of power, preload-adjusted maximal power, and ejection force in idiopathic dilated cardiomyopathy: prognostic implications (Avramides et al). 2000;13:87-95
Prosthetic heart valve; *see* Heart valve prosthesis
Protein C
Transthoracic echocardiographic demonstration of massive pulmonary thrombus caused by protein C deficiency (Jeon et al). 2000;13:682-4 (Case rep.)
Publishing
Manuscript reviewers: the backbone of a peer-reviewed journal (Feigenbaum). 2000;13:968 (Editorial)
Pulmonary embolism
Fragmentation of a right atrial myxoma presenting as a pulmonary embolism (Idir et al). 2000;13:61-3 (Case rep.)
Transthoracic echocardiographic demonstration of massive pulmonary thrombus caused by protein C deficiency (Jeon et al). 2000;13:682-4 (Case rep.)
Pulmonary function tests; *see* Respiratory function tests
Pulmonary valve stenosis
Membranous subpulmonic stenosis associated with ventricular septal defect and aortic insufficiency (Raff et al). 2000;13:58-60 (Case rep.)
Pulmonary veins
Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow (Brunner-La Rocca et al). 2000;13:599-607
Löffler's syndrome: pulmonary vein and transmitral Doppler flow analysis by transesophageal echocardiography—report of a case (Garcia-Pascual et al). 2000;13:690-2 (Case rep.)

R

Radionuclide ventriculography
Contrast harmonic color Doppler left ventriculography: machine-interpreted left ventricular ejection fraction compared with equilibrium-gated radionuclide ventriculography (Schwarz et al). 2000;13:368-78
Reperfusion, myocardial; *see* Myocardial reperfusion
Reproducibility of results
Validity and reproducibility of echocardiographic measurement of left ventricular ejection fraction by acoustic quantification with tissue harmonic imaging technique (Tsujita-Kuroda et al). 2000;13:300-5
Research
Real-time transmission of full-motion echocardiography over a high-speed data network: impact of data rate and network quality of service (Main et al). 2000;13:764-70
Respiration, artificial
Reversal of the pattern of respiratory variation of Doppler inflow velocities in constrictive pericarditis during mechanical ventilation (Abdalla et al). 2000;13:827-31
Respiratory function tests
Doppler-determined peak systolic tricuspid pressure gradient in persons with normal pulmonary function and tricuspid regurgitation (Aessopos et al) 2000;13:645-9. Correction 2000;13:1042
Review articles
Review articles. 2000;13:788-95, 876-81
Right atrium; *see* Heart atrium
Right ventricle; *see* Heart ventricle
Right ventricular function; *see* Ventricular function, right
Right ventricular infarction; *see* Myocardial infarction
Rupture
Echocardiographic demonstration of rupture of intraseptal hydatid cyst (Charet et al). 2000;13:955-8 (Case rep.)
Rupture of the coronary artery after blunt nonpenetrating chest wall trauma detected by color Doppler echocardiography: a case report (Meluzín et al). 2000;13:1043-6 (Case rep.)
Tricuspid insufficiency and interatrial septum rupture: a cause of persistent systemic hypoxemia after blunt chest trauma (Pereira et al). 2000;13:64-5 (Case rep.)

S

St Jude mitral prosthesis; *see* Heart valve prosthesis
Sarcoma
Transesophageal echocardiography detection of an esophageal sarcoma mimicking aortic dissection (Lerakis et al). 2000; 13:619-21 (Case rep.)
Scimitar syndrome
Echocardiographic features of genetic diseases: part 3. Shunts (Alizad and Seward). 2000;13:248-53 (Special rep.)
Septum; *see* Heart septum
Shone's syndrome
Echocardiographic features of genetic diseases: part 6. Complex cardiovascular defects (Alizad and Seward). 2000;13:637-43 (Special rep.)
Shunts
Echocardiographic features of genetic diseases: part 3. Shunts (Alizad and Seward). 2000;13:248-53 (Special rep.)
Sinus rhythm
Transesophageal echocardiography assessment of left atrial appendage function in untreated systemic hypertensive patients in sinus rhythm (Bilge et al). 2000;13:271-6
Spleen, abnormalities
Echocardiographic features of genetic diseases: part 8. Organ system (Alizad and Seward). 2000;13:796-800
Stents
Acute infarction of a previously stented coronary artery precip-

itated by dobutamine stress echocardiography (Pressman). 2000;13:150-1 (Case rep.)
Echocardiographic assessment of stentless aortic bioprosthetic valves (Bach). 2000;13:941-8
Migration of a transjugular intrahepatic portosystemic shunt (TIPS) stent: evaluation by transesophageal echocardiography (Ward and Spencer). 2000;13:949-50 (Brief comm.)
Storage disease
Echocardiographic features of genetic diseases: part 2. Storage disease (Alizad and Seward). 2000;13:164-70 (Special rep.)
Strain rate
Assessment of regional longitudinal myocardial strain rate derived from Doppler myocardial imaging indexes in normal and infarcted myocardium (Voigt et al). 2000;13:588-98
Strain rate imaging by ultrasonography in the diagnosis of coronary artery disease (Støylen et al). 2000;13:1053-64
Stress echocardiography; *see* Echocardiography, stress
Stress test; *see* Exercise test
Subarachnoid hemorrhage
Regional patterns of left ventricular systolic dysfunction after subarachnoid hemorrhage: evidence for neurally mediated cardiac injury (Zaroff et al). 2000;13:774-9
Subendocardial motion; *see* Wall motion
Subepicardial aneurysm; *see* Aneurysm
Superior vena cava; *see* Vena cava, superior
Sympathetic nervous system
Regional patterns of left ventricular systolic dysfunction after subarachnoid hemorrhage: evidence for neurally mediated cardiac injury (Zaroff et al). 2000;13:774-9
Systole
Doppler-determined peak systolic tricuspid pressure gradient in persons with normal pulmonary function and tricuspid regurgitation (Aessopos et al) 2000;13:645-9. Correction 2000;13:1042
Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave Doppler tissue imaging (Alam et al). 2000;13:343-52
Estimation of the ejection fraction in patients with myocardial infarction obtained from the combined index of systolic and diastolic left ventricular function: a new method (Lax et al). 2000;13:116-23
Improvement in right ventricular systolic function after surgical correction of isolated tricuspid regurgitation (Mukherjee et al). 2000;13:650-4
Noninvasive assessment of left ventricular systolic function by stress-shortening relation, rate of change of power, preload-adjusted maximal power, and ejection force in idiopathic dilated cardiomyopathy: prognostic implications (Avramides et al). 2000;13:87-95
Regional patterns of left ventricular systolic dysfunction after subarachnoid hemorrhage: evidence for neurally mediated cardiac injury (Zaroff et al). 2000;13:774-9
Use of peak systolic strain as an index of regional left ventricular function: comparison with tissue Doppler velocity during dobutamine stress and myocardial ischemia (Armstrong et al). 2000;13:731-7

T

Technology
Contrast echocardiography: current and future applications (American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Intracardiac echocardiography: newest technology (Bruce et al). 2000;13:788-95 (Review article)
Telemedicine
Real-time transmission of full-motion echocardiography over a high-speed data network: impact of data rate and network quality of service (Main et al). 2000;13:764-70
Thorax
Rupture of the coronary artery after blunt nonpenetrating chest wall trauma detected by color Doppler echocardiography: a case report (Meluzin et al). 2000;13:1043-6 (Case rep.)
Tricuspid insufficiency and interatrial septum rupture: a cause of persistent systemic hypoxemia after blunt chest trauma (Pereira et al). 2000;13:64-5 (Case rep.)
Three-dimensional echocardiography; *see* Echocardiography, three-dimensional
Three-dimensional ultrasonography; *see* Ultrasonography
Thrombolysis
Right ventricular dysfunction after thrombolysis in patients with right ventricular infarction (Mattioli et al). 2000;13:655-60
Ultrasound-enhanced thrombolysis at 20 kHz with air-filled and perfluorocarbon-filled contrast bispheres (Dhond et al). 2000;13:1025-9
Thromboplastin
In vivo molecular imaging of stretch-induced tissue factor in carotid arteries with ligand-targeted nanoparticles (Lanza et al). 2000;13:608-14
Thrombosis
A case of arrhythmogenic right ventricular cardiomyopathy in sinus rhythm associated with thrombus in the right atrium (Bilge et al). 2000;13:154-6 (Case rep.)
A case of left atrial appendage thrombus with embolic stroke in association with aortic stenosis in sinus rhythm (Bilge et al). 2000;13:1127-9 (Case rep.)
Echocardiography in nonbacterial thrombotic endocarditis: from autopsy to clinical entity (Reisner et al). 2000;13:876-81 (Review article)
Intermittent electromechanical dissociation as an unusual sign of prosthetic valve thrombosis in a patient with prosthetic fibrous ingrowth (Delgado et al). 2000;13:685-9 (Case rep.)
Intracardiac thrombus in antiphospholipid antibody syndrome (Aguilar and Summerson). 2000;13:873-5 (Case rep.)
Tissue harmonic imaging: a new method for predicting left ventricular thrombus? (Swinburn et al). 2000;13:680-1 (Case rep.)
Transthoracic echocardiographic demonstration of massive pulmonary thrombus caused by protein C deficiency (Jeon et al). 2000;13:682-4 (Case rep.)
Time
Cyclic variation of integrated backscatter: dependence of time delay on the echocardiographic view used and the myocardial segment analyzed (Finch-Johnston et al). 2000;13:9-17
Indications for limited echocardiographic imaging: a mathematical model (Kimura and DeMaria). 2000;13:855-61
Tissue Doppler imaging; *see* Doppler tissue imaging
Tissue harmonic imaging; see Intermittent harmonic imaging
Transesophageal echocardiography; *see* Echocardiography, transesophageal
Transthoracic echocardiography; *see* Echocardiography, transthoracic
Trauma; *see* Wounds and injuries
Tricuspid valve
Persistent hypoxemia occurring as a complication of tricuspid valve endocarditis (Turek et al). 2000;13:412-4 (Case rep.)
Tricuspid valve insufficiency
Doppler-determined peak systolic tricuspid pressure gradient in persons with normal pulmonary function and tricuspid

regurgitation (Aessopos et al) 2000;13:645-9. Correction 2000;13:1042
Improvement in right ventricular systolic function after surgical correction of isolated tricuspid regurgitation (Mukherjee et al). 2000;13:650-4
Tricuspid insufficiency and interatrial septum rupture: a cause of persistent systemic hypoxemia after blunt chest trauma (Pereira et al). 2000;13:64-5 (Case rep.)
Unusual eustachian valve function (Saric et al). 2000;13:316-8 (Case rep.)
Tricuspid valve stenosis
Tricuspid stenosis: a rare complication of pacemaker-related endocarditis (Hagers et al). 2000;13:66-8 (Case rep.)
Tuberous sclerosis
Echocardiographic features of genetic diseases: part 5. Tumors (Alizad and Seward). 2000;13:421-6 (Special rep.)
Tumors; *see* Neoplasms
Turner's syndrome
Echocardiographic features of genetic diseases: part 6. Complex cardiovascular defects (Alizad and Seward). 2000;13:637-43 (Special rep.)
Two-dimensional echocardiography; *see* Echocardiography, two-dimensional

U

Ultrasonography
Assessment of regional longitudinal myocardial strain rate derived from Doppler myocardial imaging indexes in normal and infarcted myocardium (Voigt et al). 2000; 13:588-98
Contrast echocardiography: current and future applications (American Society of Echocardiography Task Force on Standards and Guidelines for the Use of Ultrasonic Contrast in Echocardiography et al). 2000;13:331-42 (Position paper)
Contrast harmonic color Doppler left ventriculography: machine-interpreted left ventricular ejection fraction compared with equilibrium-gated radionuclide ventriculography (Schwarz et al). 2000;13:368-78
Detection of residual tissue viability within the infarct zone in patients with acute myocardial infarction: ultrasonic integrated backscatter analysis versus dobutamine stress echocardiography (Castaldo et al). 2000;13:358-67
Incorporating ultrasound contrast in the laboratory: a series on contrast echocardiography, article 1 (Moos et al). 2000; 13:240-7 (Cardiac sonog. comm.)
Personal ultrasound imager: abdominal aortic aneurysm screening (Bruce et al). 2000;13:674-9
Premature ventricular contractions during triggered imaging with ultrasound contrast (van der Wouw et al). 2000;13:288-94
Strain rate imaging by ultrasonography in the diagnosis of coronary artery disease (Støylen et al). 2000;13:1053-64
Substernal epicardial echocardiography: a new ultrasonic window to the postoperative heart (Hanlon et al). 2000;13:35-8
Ultrasonic myocardial textural analysis in subclinical hypothyroidism (Di Bello et al). 2000;13:832-40
Ultrasound contrast physics: a series on contrast echocardiography, article 3 (McCulloch et al). 2000;13:959-67 (Cardiac sonog. comm.)
Ultrasound-enhanced thrombolysis at 20 kHz with air-filled and perfluorocarbon-filled contrast bispheres (Dhond et al). 2000;13:1025-9
Volumetric blood flow measurement with the use of dynamic 3-dimensional ultrasound color flow imaging (Berg et al). 2000;13:393-402
Ultrasonography, intravascular
Three-dimensional imaging of aortic arch anomalies in infants and children with intravascular ultrasound catheters from a transesophageal approach (Alabdulkarim et al). 2000;13:924-31
Unstable angina; *see* Angina, unstable

V

Valsalva maneuver
Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow (Brunner-La Rocca et al). 2000;13:599-607
Valve replacement; *see* Heart valve prosthesis
Velocity; *see* Blood flow velocity
Vena cava, superior
Echocardiographic characterization of a rare type of coronary artery fistula draining into superior vena cava (Ashmeik et al). 2000;13:407-11 (Case rep.)
Superior vena caval syndrome: color flow Doppler detection of collateral venous channels (Tighe et al). 2000;13:780-4 (Case rep.)
Ventricle; *see* Heart ventricle
Ventricular contraction; *see* Myocardial contraction
Ventricular function, left
Comparison of ventricular volume and mass measurements from B-and C-scan images with the use of real-time 3-dimensional echocardiography: studies in an in vitro model (Rusk et al). 2000;13:910-7
Contrast harmonic color Doppler left ventriculography: machine-interpreted left ventricular ejection fraction compared with equilibrium-gated radionuclide ventriculography (Schwarz et al). 2000;13:368-78
Differentiation between reversible and irreversible restrictive left ventricular filling patterns with the use of mitral annulus velocity (Sohn et al). 2000;13:891-5
Does second harmonic imaging improve left ventricular endocardial border identification at higher heart rates during dobutamine stress echocardiography? (Sozzi et al). 2000; 13:1019-24
Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave Doppler tissue imaging (Alam et al). 2000;13:343-52
Estimation of the ejection fraction in patients with myocardial infarction obtained from the combined index of systolic and diastolic left ventricular function: a new method (Lax et al). 2000;13:116-23
Evaluation of regional wall motion and quantitative measures of ventricular function during dobutamine stress echocardiography in pediatric cardiac transplantation patients (Donofrio et al). 2000;13:932-40
Feasibility and accuracy of left ventricular volumes and ejection fraction determination by fundamental, tissue harmonic, and intravenous contrast imaging in difficult-to-image patients (Yu et al). 2000;13:216-24
Harmonic imaging with Levovist for transthoracic echocardiographic reconstruction of left ventricle in patients with postischemic left ventricular dysfunction and suboptimal acoustic windows (De Castro et al). 2000;13:139-45
Intra-aortic balloon pump associated with dynamic left ventricular outflow tract obstruction after valve replacement for aortic stenosis (Morewood and Weiss). 2000;13:229-31 (Case rep.)
Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow (Brunner-La Rocca et al). 2000;13:599-607

Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate (Mori et al). 2000;13:1002-11

Mean myocardial velocity mapping in quantifying regional myocardial contractile reserve in patients with impaired left ventricular systolic function: Doppler myocardial imaging study (Palka et al). 2000;13:96-107

Mitral annulus velocity in the estimation of left ventricular filling pressure: prospective study in 200 patients (Kim and Sohn). 2000;13:980-5

A new framework for echocardiographic assessment of left ventricular mechanics: sensitivity to heart failure (Denslow et al). 2000;13:969-79

Noninvasive assessment of left ventricular systolic function by stress-shortening relation, rate of change of power, preload-adjusted maximal power, and ejection force in idiopathic dilated cardiomyopathy: prognostic implications (Avramides et al). 2000;13:87-95

Noninvasive indexes of left atrial diastolic function in hypertrophic cardiomyopathy (Dardas et al). 2000;13:809-17

Obstruction of left ventricular outflow tract by vegetation and periaortic abscess (Basmadjian et al). 2000;13:869-72 (Case rep.)

Optimal rotational interval for 3-dimensional echocardiography data acquisition for rapid and accurate measurement of left ventricular function (Nosir et al). 2000;13:715-22

Ordering an echocardiogram for evaluation of left ventricular function: level of expertise necessary for efficient use (Weiss et al). 2000;13:124-30

Preload dependence of color M-mode Doppler flow propagation velocity in controls and in patients with left ventricular dysfunction (Moller et al). 2000;13:902-9

Regional patterns of left ventricular systolic dysfunction after subarachnoid hemorrhage: evidence for neurally mediated cardiac injury (Zaroff et al). 2000;13:774-9

Substernal epicardial echocardiography: a new ultrasonic window to the postoperative heart (Hanlon et al). 2000;13:35-8

Superiority of 3-dimensional versus 2-dimensional echocardiography for left ventricular volume assessment in small piglet hearts (Abdullah et al). 2000;13:918-23

Tissue harmonic imaging: a new method for predicting left ventricular thrombus? (Swinburn et al). 2000;13:680-1 (Case rep.)

Transformation of mitral valve prolapse to dynamic left ventricular outflow tract obstruction and back again in a patient with acute transient myocardial depression (Fisher et al). 2000;13:319-21 (Case rep.)

Use of angiotensin II stress pulsed tissue Doppler imaging to evaluate regional left ventricular contractility in patients with hypertrophic cardiomyopathy (Mishiro et al). 2000;13:1065-73

Use of peak systolic strain as an index of regional left ventricular function: comparison with tissue Doppler velocity during dobutamine stress and myocardial ischemia (Armstrong et al). 2000;13:731-7

Usefulness of early diastolic flow propagation velocity measured by color M-mode Doppler technique for the assessment of left ventricular diastolic function in patients with hypertrophic cardiomyopathy (Nishihara et al). 2000;13:801-8

Validity and reproducibility of echocardiographic measurement of left ventricular ejection fraction by acoustic quantification with tissue harmonic imaging technique (Tsujita-Kuroda et al). 2000;13:300-5

Ventricular function, right

Improvement in right ventricular systolic function after surgical correction of isolated tricuspid regurgitation (Mukherjee et al). 2000;13:650-4

A new quantitative method for the diagnosis of right ventricular hypertensive disorders in 3 dimensions (Marcus et al). 2000;13:186-93

Normal regional right ventricular function and its change with age: a Doppler myocardial imaging study (Kukulski et al). 2000;13:194-204

Reconstruction of 3-dimensional right ventricular shape and volume from 3 orthogonal planes (Munoz et al). 2000;13:177-85

Right ventricular dysfunction after thrombolysis in patients with right ventricular infarction (Mattioli et al). 2000;13:655-60

Right ventricular outflow tract obstruction in an older woman: facilitated diagnosis with transesophageal echocardiography-guided biopsy (Beaver et al). 2000;13:622-5 (Case rep.)

Transesophageal 3-dimensional echocardiography: in vivo determination of left ventricular mass in comparison with magnetic resonance imaging (Kühl et al). 2000;13:205-15

Ventricular septal defects; *see* Heart septal defects, ventricular

Video

Effects of MPEG compression on the quality and diagnostic accuracy of digital echocardiography studies (Spencer et al). 2000;13:51-7

Volume, cardiac; *see* Cardiac volume

W

Wall motion

Analysis of shape and motion of the mitral annulus in subjects with and without cardiomyopathy by echocardiographic 3-dimensional reconstruction (Flachskampf et al). 2000;13:277-87

Atrioventricular plane motion during dubutamine-atropine stress echocardiography: the biphasic response in healthy subjects revisited (Carstensen et al). 2000;13:885-90

Evaluation of regional wall motion and quantitative measures of ventricular function during dobutamine stress echocardiography in pediatric cardiac transplantation patients (Donofrio et al). 2000;13:932-40

Left ventricular wall motion velocities in healthy children measured by pulsed wave Doppler tissue echocardiography: normal values and relation to age and heart rate (Mori et al). 2000;13:1002-11

Myocardial longitudinal motion by tissue velocity imaging in the evaluation of patients with myocardial infarction (Palmes et al). 2000;13:818-26

Myocardial perfusion and wall motion in infarction border zone: assessment by myocardial contrast echocardiography (Scherrer-Crosbie et al). 2000;13:353-7

The relation between mitral annulus motion and ejection fraction: a nonlinear function (Emilsson et al). 2000;13:896-901

Significance of resting wall motion abnormalities in 2-dimensional echocardiography in patients without previous myocardial infarction referred for pharmacologic stress testing (Elhendy et al). 2000;13:1-8

Subendocardial motion in hypertrophic cardiomyopathy: assessment from long-and short-axis views by pulsed tissue Doppler imaging (Tabata et al). 2000;13:108-15

Williams syndrome

Echocardiographic features of genetic diseases: part 6. Complex cardiovascular defects (Alizad and Seward). 2000;13:637-43 (Special rep.)

Wolff-Parkinson-White syndrome
Localization of the ventricular preexcitation site in Wolff-Parkinson-White syndrome with Doppler tissue imaging (Eder et al). 2000;13:995-1001
Wounds, nonpenetrating
Rupture of the coronary artery after blunt nonpenetrating chest wall trauma detected by color Doppler echocardiography: a case report (Meluzin et al). 2000;13:1043-6 (Case rep.)
Tricuspid insufficiency and interatrial septum rupture: a cause of persistent systemic hypoxemia after blunt chest trauma (Pereira et al). 2000;13:64-5 (Case rep.)
Wounds and injuries
Rupture of the coronary artery after blunt nonpenetrating chest wall trauma detected by color Doppler echocardiography: a case report (Meluzin et al). 2000;13:1043-6 (Case rep.)
Tricuspid insufficiency and interatrial septum rupture: a cause of persistent systemic hypoxemia after blunt chest trauma (Pereira et al). 2000;13:64-5 (Case rep.)